

SUBJECT INDEX

A

Acaranoic acid, 499
Acarenoic acid, 499
Acetate derivatives, 498
Acetogenines, 498
Acetylportentol, 500, 536
Acetyl-SCoA, 525
Acids, *see* Lichen substances
Alectorialic acid, 510
Algal symbiont
 blue-green, ultrastructure, 148-149
 changes that occur after separation from thallus, 262-266
 excretion of substances, 263-266, 298-299
 green
 storage products, 154-157, 165-166
 ultrastructure, 149-157, 165-166
 isolation techniques, 258-259, 656-658
 photosynthetic products, 261-262
 systematic evaluation, 104
Allantoin, 519
Alloprotolichesterinic acid, 499
Amines, 496
Amino acids, 496
D- β -Amino- β -phenylpropionic acid, 496
Anthraquinones, 501, 534
Anthrones, 501, 534
Antibiotics in lichens, 553
Anticancer activity, 497
Aphthosin, 508
Apogamy, 64
Arabinose, 497
D-Arabitol, 497, 521, 524
Areoles, 21

Aromatic compounds, 500
Aromatic polyketides, 527
Ascocarps, 73, 82
Ascogonial filaments, 62
Ascolocular lichens, 93
Ascorbic acid, 518
Ascus
 apical apparatus, 69, 70
 archaeasceous type, 71
 bitunicate nassasceous type, 71
 dehiscence, 71
 systematic value, 92-94
Ascospores, 72
Aspicilin, 519
Atranorin, 508
Averythrin-6-monomethylether, 501

B

Barbatolic acid, 510
Basidiolichens, 87
Biotin, 518
Bisanthroquinones, 513
Bisanthronyles, 513
Bisxanthonones, 513
Bitunicate asci, 93

C

Calycin, 517, 518
Caperatic acid, 499, 525
Carbohydrate movement
 amount and rates of movement, 276-279

factors affecting carbohydrate transfer,
279-281
mechanism of carbohydrate release,
266-273, 283-284
methods used to study
 direct isolation of alga, 258-259
 dissection technique, 258
 entry of ^{14}C into fungal products,
 259-260
 inhibition technique, 260-261
 nature of the mobile carbohydrate, 266
Carbohydrates, 497, 524
Carbonization, 99
 β -Carotin, 516
Carotinoids 516
Cations
 translocation, 215-219
 uptake mechanisms, 211-215
Cell walls
 mycobiont, 163, 165, 186
 phycobiont, 161, 163, 166
Cephalodia, 49-53
 development of, 51, 53
Concentric bodies, 159, 167
Chiodectonic acid, 502, 536
Chromones, 501, 534, 519
Cilia, 20
Colensoic acid, 510
 α -Collatolic acid, 510
Concentric bodies, 159, 167
Constictic acid, 510
Crustose lichens, 21
Cycloaliphatic compounds, 500
Cyphellae, 37-39

D

Dangeardium, 65
Depsidines, 506, 507, 529
Depsidones, 510, 531
Depsones, 511, 531
4-*O*-Desmethylbarbatic acid, 510
Diacetyl pyxinol, 514, 515
Dibasic aliphatic acids, 498, 525
Dibenzofuranes, 504, 532
Dibenzoquinones, 531
Didymic acid, 504
Didepsidines, 506
Dihydropicrolicenic acid, 531
Dimethylsulfon, 497

Diploicin, 511
Diterpenes, 514, 537
Drying, resistance to, 316-325

E

Ellipsoidal bodies, *see* Concentric bodies
Endolithic lichens, 21
Environment, *see* Habitats of lichens
Epifriedelanol, 514
Epiphloeodal lichens, 417
Epanorin, 517
Ergochrome AA 513, 520
Ergochrome AB, 513, 520
Ergosterinol, 516
Ergosterol peroxide, 516, 538
Erythrin, 508, 524
meso-Erythritol, 524
Erythro-3,4-dimethoxycarbonylpentanoic
 acid, 498
Estimation of air pollution, 466
6-Ethoxymethyleneugenitin, 501
Ethylorsellinate, 500
Eugenitin, 518
Eugenitol, 518
Eumitrin, 520

F

Fatty acids, 525
Fernene derivatives, 521
Fertilization of ascogones, 63
Flavoobskurin, 513
Fluorine, 445
Folic acid, 518
Folinic acid, 518
Foliose lichens, 23-25
Fragilin, 501
Freezing, *see* Temperature
Friedelin, 514, 538
D-Fructose, 497
Fruiting bodies
 influence on thallus development, 55
 types, 98
Fruticose lichens, 25-29
Fumarprotocetraric acid, 510
Fungal symbiont
 cells, 4-5

isolation techniques, 653-656
 self-infection, 167
 tissues, 5-9
 ultrastructure, 157, 159, 161
 Fungisterinol, 516, 538

G

D-Galactose, 497
 Galapagin, 502
 Gelatinous lichens, 31
 Glucans, 497, 525
 4-*O*- β -D-Glucopyranosyl-D-mannitol, 497, 525
 D-Glucose, 497
 Glycerin, 497
 Glycerol, 524
 Glycosides, 497, 502
 Growth, 34
 Growth rates, 478, 486
 annual variation, 479
 measurement, 479
 seasonal differences, 478
 Gyrophoric acid, 508
 Gyrophorine apothecia, 84

H

Habitats of lichens
 extraterrestrial environments, 365-366
 hot, dry environments, 354-357
 moist environments, 361-365
 polar and alpine environments, 357-361
 Haemoventosin, 500, 536
 Hairlike thalli, 31
 Haustoria, 11
 degeneration of algae caused by, 168
 intracellular, 167-170
 intramembranous, 170
 Heterocysts, 149
 Hopanes, 514, 516
 Hormocystangia, 48
 Hormocysts, 48, 108
 Hydrogen-ion concentration
 effect on carbohydrate release, 269-271, 279-280
 (-)-16 α -Hydroxykauran, 514
 Hypophloeodal lichens, 417
 Hypoprotocetraric acid, 510

I

myo-Inositol, 524
 Isidia, 42-45
 as propagules, 118
 development of, 44-45
 systematic evaluation, 107
 Isolichenin, 525
 Isousnic acid, 504, 532

L

γ -Lactonic acid derivatives, 499, 525
 Lauric acid, 498
 Lecanoric acid, 506
 Lepraric acid, 501
 Leprarinic acid, 517
 Leprarinic acid methylester, 517
 Leucotylic acid, 514, 515
 Leucotylin, 538
 Lichen substances
 antibiotic properties, 234, 547
 biosynthesis, 523
 chelating properties, 235
 content in thalli, 496, 552
 importance of in weathering of minerals
 and rocks, 230-236
 occurrence in mycobionts, 518
 water solubility, 232, 234-235
 Lichenin, 497, 525
 Lichenometry, 484
 Lichesterinic acid, 499
 Lichexanthone, 519, 536
 Life cycle, 487
 Lobodirin, 519
 Longevity, 34, 489

M

Macrocyclic lactone, 519
 Malonate derivatives, 498
n-Malonyl-SCoA, 525
 D-Mannitol, 273, 497, 521, 524
 Mechanical influences, response to, 352-354
 Merochlorophaeic acid, 508
Meso-erythritol, 497
 Methylamine, 497
 Methyl β -orcinolcarboxylate, 500
 (+)-2*S*-Methyl-3*R*-dodecylsuccinic acid, 498

Methyl 3,5-dichlorolecanorate, 509
 Mevalonate derivatives, 513, 537
 Microphyllinic acid, 510
 Microsporogenous filaments, 61
 Mineral absorption, 410, 411
 Miriquidic acid, 508
 Mollin, 502
 Monosaccharides, 497
 (+)-Montagnitol, 500, 524
 Mycobiont, *see* Fungal symbiont
 Myristic acid, 499

N

Naphthoquinone derivatives, 500, 534
 Nephromopsic acid, 499
 Nephrosteranic acid, 499
 Nephrosterinic acid, 499
 Nicotinic acid, 518
 Nitrogen
 assimilation of combined, 291-297
 Nitrogen fixation, 297-303
 effect of light, 301-303
 effect of moisture, 301-303
 effect of temperature, 301-303
 rate, 300-301
 movement of compounds between
 symbionts, 303
 release of fixed nitrogen by phycobiont,
 299-300
 types of compounds found in lichens, 291
 Norlichexanthone, 503
 Norrangiformic acid, 499, 525
 Norstictic acid, 510
 Nutrient accumulation, 240-242

O

Obtusatic acid, 547
 Oleic acid, 498
 Oligosaccharides, 497
 Orcinol compounds, 500, 507, 529
 Organic nutrition, 414
 Orsellinic acid, 528
 Ornithocoprophilous lichens, 426
 Oxalic acid, 231-232
 Oxyskyrin, 513

P

Pannaric acid, 504
 Pannarin, 510
 Pantothenic acid, 518
 Paraphyses, 96
 Parathecial apparatus, 76
 Parietin, 501
 Peltigeroside, 497, 525
 Peptides, 496
 Perithecia, 77
 Perittogamous sporophyte, 65
 Perlatolic acid, 510
 Pharmacology of lichen substances, 552
 Pharmacopoeias, 549
 Phenarctin, 508
 Phenylalanine derivatives, 516
 Phlebic acid, 514, 515
 Photosynthesis
 at high temperatures, 256-257
 and light intensity, 254-255
 at low temperatures, 255-256
 methods used to study rates of carbon
 fixation in lichens, 250-252
 and water content of thallus, 253-254
 rates of carbon fixation, 252-253
 Phycobiont, *see* Algal symbiont
 Phylidium, 107
 Physodalic acid, 510
 Phytagglutinins, 552
 Picrolichenic acid, 511
 Picroroccellin, 496, 540
 Pinastric acid, 517
 Placodiolic acid, 506
 Plant succession, role of lichens in, 239-240
 Plastoglobuli, *see* Pyrenoglobuli
 Plectenchyma, 7
 Podetium, 29, 84
 Pollution effects on lichens
 effects on growth and metabolism, 455
 effects on spore viability, 143
 resistant species, 450
 zonation around cities, 447
 Poly- β -*O*-glucopyranose, 497
 Polyglucoside, 497
 Polyols, 497, 524
 Polyolglycosides, 525
 Polyporic acid, 526, 540
 Polysaccharides, 497, 525
 Porphyrilic acid, 504, 532

Portentol, 500, 536
 L-Prolin, 496
 Prosoplectenchymatous tissues, 9
 Prospecting, use of lichens for, 192
 Prosporophyte, 65
 Proteins, 497
 Protocetraric acid, 510
 (+)-Protolichesterinic acid, 499
 Pruina, 17, 109
 Pseudocyphellae, 39
 Pseudopodetium, 29, 34
 Pseudostromata, 83
 Psoromic acid, 510
 Pulvinic acid, 517, 518
 Pulvinic acid derivatives, 517
 Pulvinic acid lactone, 517, 518
 Pulvinic acid amide, 517
 Pustulan, 497, 525
 Pycnidia, 62, 101
 Pycnoascocarps, 82
 Pyrenoglobuli, 151, 154,
 production in cultured *Trebouxia*, 165
 Pyrenoid, 151
 Pyxiferin, 531
 Pyxinic acid, 514

R

Radiation, response to, 342-352
 Radioactive tracers, 524, 527, 540
 Radionuclides, 193-211
 artificial, 193-208
 ¹³⁷Cs and ⁹⁰Sr
 content of in thalli, 198-202
 half-life of in lichens, 203-205
 distribution in thalli, 202-203
 lichen-reindeer-man food chain, 207
 lichens as radioactive fallout meters,
 207-208
 natural, 208-211
 Rangiformic acid, 499
 Reproduction, 32, 59
 fertilization, 63
 gametophyte, 60
 Respiration, role of CO₂ in biogeochemical
 weathering, 231
 Resynthesis of lichens
 developmental stages, 566-569
 factors that influence synthesis, 576-578
 physiological relationships between the
 symbionts, 569-570

Retigeranic acid, 520
 Retigeric acids, 521
 Rhizines, 18-20
 forms of, 175, 177
 role in weathering of rock, 227-229
 Rhizoidal hyphae, 18
 Rhodocladonic acid, 502
 Rhodomicrotoxin, 532
 Ribitol, 497, 521, 524
 Riboflavin, 518
 Roccanin, 519
 (+)-Roccellaric acid, 499
 Roccellic acid, 498, 518, 525
 Roccellin, 502
 Rugulosin, 513

S

Saccharose, 497
 Salazinic acid, 510, 519
 Schizidium, 106
 Schizopeltic acid, 504
 Scrobiculin, 508
 Secalonic acid, 520
 Sesterterpenes, 520
 Shikimic acid, 516, 538
 Siphulin, 501
 D-Siphulitol, 497, 524
 β-Sitosterinol, 516
 Skyrin, 513
 Skyrinol, 513
 Soil formation, role of lichens in, 225-226,
 242-243, 421
 Solorinic acid, 501
 Soralia, 46-48, 107
 Soredia, 46, 107
 as propagules, 118
 Specificity of symbionts, 53, 55
 Spores, 94, 120-125
 animal dispersal, 134
 discharge, 125, 126
 germination, 137
 periodicity, 129, 138
 viability, 143
 Sporophytic apparatus, 65
 Steroids, 516
 Stictic acid, 510
 Strepasilin, 504, 532
 Stromata, 100
 Substrate specificity, 428
 Sugar alcohols, 273-276, 284

Sulfur content of lichens, 454
 Symbiosis
 development of, 582-585
 a model of evolution, 589-591
 Synthesis, *see* Resynthesis of lichens

T

D-Tagatose, 497
 Taraxerene, 514
 Temperature, resistance to, 328-342
 Terphenylquinones, 540
 Tetradeptide, 506, 507
 9,10,12,13-Tetrahydrodocosanoic acid,
 498
 9,10,12,13-Tetrahydroheneicosanoic acid,
 498
 Thallus
 aeration pores, 37
 algal layer, 11
 color, 20
 cortex, 15, 31, 171, 175
 culture of, 658
 development of, 32-35
 dissection of, 258
 effect on substratum, 236-238
 growth forms, 20-31, 101
 heteromerous, 11
 homoiomerous, 11
 medulla, 13
 metal content, 187-193
 nitrogen content, 290-291
 origins of, 36
 shade versus sun grown, 18
 veins, 17
 viewed with a scanning-electron micro-
 scope, 170-177
 water content, 390-395
 Thamnic acid, 508
 Thelophoric acid, 517
 Thioethanol amine, 497
 Thiophanic acid, 503
 Tholus, 93
Threo-3,4-dimethoxycarbonyl-6-oxohep-
 tanoc acid, 499
 Thuringion, 503
 Thylakoids, 149
 Tissues, 6-9
 Tomentum, 17
 Trace elements, *see* Thallus, metal content

Trebouxia
 division, 11, 13, 166
 groups of, 149, 151
 Trehalose, 497
 Tripeptides, 506, 507
 Trimethylamine, 497
 Triterpenes, 514

U

Ultrastructure, *see also* Algal symbiont,
 Fungal symbiont
 changes due to ecological conditions, 177,
 179
 Umbilicate growth form, 25
 Umbilicin, 497, 525
 Ursolic acid, 514
 Usnic acid, 504, 519, 532, 550

V

Ventose acid, 525
 Viability, determination of, 312-316
 Viresic acid, 510
 Vitamin B, 518
 Vitamins, 518
 D-Volemitol, 497, 524
 Vulpinic acid, 517, 518

W

Water
 absorption of liquid water, 382-383
 loss by thalli, 395-397
 mechanism of absorption and conduction,
 387-390
 uptake of water vapor by thalli, 321-324,
 384-387
 Wetness, resistance to, 325-327

X

Xanthones, 503, 534
 D-Xylose, 497

Z

Zeorin, 514, 538