

INDEX

- Adiabatic magnetization 61
A. C. Josephson effect 150, 165
Alloys xvii, 6, 185
 thermal propagation 87
 type-II superconductivity xvii, 186, 211
 upper critical fields 195
- Bardeen-Cooper-Schrieffer theory
 (BCS theory) 117-139
 criterion for superconductivity 134
 critical current density 138
 critical magnetic field 134
 current-carrying states 135-139
 energy gap 129-133, 142, 151
 fundamental assumptions 125
 ground state 125
 latent heat 133
 law of corresponding states 134
 macroscopic properties 131-135
 second-order transition 133
 transition temperature 131
 two-fluid model 139
 zero resistance 137
- Boundary between superconducting and normal regions 68, 80
 boundary conditions for **B** and **H** 69
- Ceramic superconductors 7, 221
Circuits, resistanceless 8
Coherence 77, 153
 BCS theory 128
 of electron pairs 128, 138, 153
 and surface energy 77, 185
Coherence length 77, 114, 128
 and electron mean free path 79
 high temperature superconductors 222
 order of magnitude 78
 and purity 78
 and surface energy 80, 185
 temperature-dependent 80
 temperature-independent 80
- Cooper pairs *see* Electron pairs
Cores 186
 motion 209, 212-216
 pinning 199, 208
Correlation between electrons 80, 129
Corresponding states 134
Coulomb repulsion between electrons 117,
 120, 133
Coupling energy 167
Criterion for superconductivity, BCS theory 134
Critical current 40, 82-91, 202-204, 206-212,
 223
 density *see* Critical current density
 effect of magnetic field 82, 84-85, 202-206,
 210-212
 and irreversible magnetization 210
 Josephson junction 150, 161
 measurement of 87, 91
 quantum interferometer 173, 175, 178, 179
 Silsbee's hypothesis 83
 thin specimens 106-111
 type-II superconductors 202-204, 206-212,
 217
 weak link 169, 178, 224
 wires 83
Critical current density 40, 82, 107, 111, 138
 BCS theory 138
 and critical magnetic field 83, 107
Critical magnetic field 40-53, 223
 BCS theory 134
 of cylinder 97
 effect of penetration 92
 elements 6
 H_{c3} 218
 lower critical field H_{c1} 191, 196
 parallel-sided plate 93
 paramagnetic limit 195
 temperature dependence 43
 thermodynamic value 43, 193, 198

- Critical magnetic field—*continued*
 thin film 97–99
 thin wire 97
 type-II superconductors 191–196
 upper critical field H_{c2} 192, 194, 196, 223
- Critical temperature *see* Transition temperature
- Cryotron 45
- Crystal structure and superconductivity 113
- Current-carrying states, BCS theory 135
- Currents in superconductors 11, 22, 26, 36, 202
 analogy with electrostatic charge 23
 critical *see* Critical current *and* Critical current density
 resistanceless networks 11
 transport 23, 82, 192
- Defects *see* Imperfections
- Demagnetization 66, 227–229
- Demagnetizing factor 64, 66, 105, 229
- Demagnetizing field 66, 229
- Density of states at Fermi surface 127, 134
- Diamagnetism, perfect 17, 21, 160
- Dislocations 199
- Edge effects in magnetic transitions 104
- Effective momentum in magnetic field 102
- Electric field in superconductor 13, 14, 32, 35
- Electrical resistance
 maximum value in superconductor 8
 metals and alloys 3, 112
 at optical frequencies 14, 112
 residual 4, 5
 restoration by current 89
 zero resistance 3, 8, 31, 83, 137, 202
- Electrical resistivity
 a.c. 12
 residual 4
 of a superconductor 10
- Electron–electron interaction 117
 coulomb repulsion 117, 120, 133
 by electron–phonon interaction 118–120
- Electron–lattice interaction 118–120
 conservation of energy and momentum 119–120
 by phonon emission 118
- Electron pairs (Cooper pairs) 120, 158
 Bose–Einstein statistics 126
 energy to break up 130
 formation of ground state 121, 123
 long-range coherence 138, 153
 momentum pairing condition 123
 motion of centre of mass 136
 and Pauli principle 126, 127
 phase coherence 128, 139, 154
 spatial extent 129
 total momentum 135
 wave function 124, 136
- Electron-pair waves 124, 136, 153, 154, 157
 coherence 153, 154
 diffraction 178
 effect of magnetic field 155
 frequency 154
 interference 170, 178, 179
 momentum 154
 phase 154, 155, 157, 160
 wavelength 153, 154, 155
- Electron–phonon interaction *see* Electron–lattice interaction
- Electrons
 Fermi “sea” 120
 normal 12, 138
 ordering of 60
 superelectrons 12, 138
 in vacuum 14
- Elements
 critical fields 6
 superconducting xvii, 6
 transition temperatures 6
- Energy conservation in phonon emission or absorption 119
- Energy gap 61, 115, 129–132, 140
 absorption of electromagnetic radiation 115
 BCS theory 130–132, 142, 151
 definition of Δ 127
 measurement of 132, 145, 150
 and specific heat 61, 116
 temperature dependence 132
- Energy level diagram 142
 semiconductor representation 147
- Entropy 54
 type-II superconductors 201
- Fermi “sea” 120
- Ferromagnetics 5
- Flow resistance 204
- Flux *see* Magnetic flux
- Flux creep 224
- Flux flow 206, 212
 due to temperature gradient 216
 e.m.f. 214
- Flux lines *see* Fluxons
- Fluxoid 156–160

- Fluxon lattice 187
- Fluxons 158, 171, 189
 arrangement in mixed state *Frontispiece*,
 187, 197
- Free energy *see* Gibbs free energy
- Gapless superconductors 116, 137, 139
- Gibbs free energy 41–43, 70, 230–231
 and critical magnetic field 41–44, 93
 effect of magnetic field 41, 191, 231
 in intermediate state 70
- Ginzburg–Landau constant κ 190, 198, 218
 dependence on resistivity 191
 H_{c3} 218
 surface superconductivity 217
 temperature variation 191, 219
 and type of superconductor 190, 218
- Ginzburg–Landau theory 101
 critical magnetic field of thin films 103
 effect of magnetic field 102
 second-order transition in thin film 103
- Ground state, BCS theory 125
- Hall effect in mixed state 214
- High frequencies 14, 113
- High-temperature superconductors 221
- Hollow superconductor 24, 159
- Hysteresis 48, 199, 210
- Ideal superconductor 47
- Imperfections 48, 199, 211
- Inductance of a superconductor 13–14
- Intensity of magnetization *see* Magnetization
- Interferometer 170
- Intermediate state 66–81
 domain structure 72
 experimental observation of 72
 induced by current 89
 laminar structure 76
 magnetic properties 69
 size of domains 74
 thin films 105
- Internal magnetic field 64, 69, 228–229
- Isotope effect 115, 133
- Josephson tunnelling 149, 160
 a.c. effect 150, 165
 coupling energy 167
 junction 149, 160, 162
 pendulum analogue 161
- Kappa, κ *see* Ginzburg–Landau constant κ
- Laminar structure of intermediate state 68–70,
 76
- Latent heat 58, 200
 BCS theory 133
- Law of corresponding states 134
- London equations 34, 37
- London theory 33–39
 limitations of 98
 penetration depth 35
- Long-range order 77, 114
 and coherence length 77, 114, 128–129
- Lorentz force on fluxons 208
- Magnetic field
 “applied” 16
 critical *see* Critical magnetic field
 effect on critical current 84, 203, 206
 effect on electron-pair wave 155
 effect on free energy 41–43, 191, 231
 effect on Josephson junction 178
 internal 66, 69, 228–229
 quantum interferometer 170–180
- Magnetic field strength, definition 224
- Magnetic flux
 arrangement in mixed state *Frontispiece*,
 186–189
 distribution inside type-I superconductor
 36, 38
 distribution in parallel-sided plate 39, 93
 fluxoid 156–160
 penetration 26
 in perfect conductor 16
 quantum of *see* Fluxons
 in resistanceless circuit 8–11
 trapped 48, 199
- Magnetic flux density 46
 definition of 221
 measurement of 49
 zero in superconductor 19
- Magnetic moment
 effect of penetration 95
 parallel-sided plate 95
- Magnetic shielding by superconductors 11
- Magnetization 46
 adiabatic 59
 definition of 223, 224, 226
 hysteresis 48, 198, 211
 irreversible 48, 199, 210
 measurement of 50–53
 parallel-sided plate 95
 “perfect” conductor 16
 superconductor 19

- Magnetization—*continued*
 type-II superconductor 197–199, 210, 222
- Matrix element of scattering interaction 123, 127
- Maxwell's equation 32
- Meissner effect 19, 34, 115
see also Perfect diamagnetism
- Mercury xvi
- Microscopic theory of superconductivity 112–139
- Mixed state 184, 186–190, 191–193, 197–198
 critical current 202–212
 current-carrying properties 192–220
 e.m.f. due to core motion 214
 flux flow 206–217
 fluxon pattern *Frontispiece*, 188, 197
 free energy 189, 192
 Hall effect 214
 lower critical field H_{c1} 191, 196
 upper critical field H_{c2} 192, 194–196
- Modulus of elasticity, change at transition 62
- Momentum
 conservation in phonon emission or absorption 118
 of electron pair 135–137, 153
- Network, resistanceless 11
- Neutron diffraction from mixed state 188, 209
- Niobium
 transition temperature 6, 7
 type-II superconductivity 6, 191
- Non-ideal superconductor 47, 199, 200
- Normal electrons 12, 138
- Order, of electrons 60
- Paramagnetism 195
- Peltier coefficient 63
- Pendulum analogue 162
- Penetration depth 26–30, 98, 160
 dependence on magnetic field 100
 dependence on specimen size 100
 effect on critical magnetic field 92
 effect on magnetization 93
 high-temperature superconductors 222
 London theory 35, 37, 99
 and surface energy 80, 185
 temperature variation 28, 36
- “Perfect” conductor 16, 20
 magnetic behaviour 16
- Perfect diamagnetism 17, 21, 26, 28, 34, 160
see also Meissner effect
- Permeability of superconductor 21
- Persistent current 8, 10
- Phase *see* Electron-pair wave
- Phase coherence of Cooper pairs 128, 138, 153
- Phase diagram 43, 194
- Phase transition
 first order 59
 second order 57, 200
- Phonons
 average frequency 123, 127
 electron-lattice interaction 117
 virtual emission 119, 123
- Polymer, superconducting 6
- Quantized magnetic flux *see* Fluxon
- Quantum interference 153, 170, 180
- Quantum interferometer 170, 180
 diffraction effects 179
 interference pattern 173, 178, 180
- Quasiparticles 130, 131
 energy of 143
- Resistance *see* Electrical resistance
- Resistance transitions 4, 8, 83–91, 205
 role of surface energy 76
 temperature range 8
 in transverse magnetic field 76
 zero 83, 138, 202
- Resistanceless conductor *see* Perfect conductor
- Resistivity *see* Electrical resistivity
- Rutger's formula 58
- Screening currents 17, 21, 25
- Second-order transition 57, 200
 BCS theory 133
 of thin film in magnetic field 103, 152
- Silsbee's hypothesis 83–86
 thin specimens 106, 110
 type-II superconductor 203, 204
- Small specimens 92
- Solenoid, superconducting 10, 195, 202
- Sommerfeld specific heat constant 60, 134
- Specific heat 57–61, 114
 electronic 59, 114
 and energy gap 61, 116
 lattice 59, 114
 Rutgers' formula 58
 Sommerfeld constant 60, 134
 type-II superconductors 200
- SQUID *see* Quantum interferometer
- Superconducting state
 summary of properties 112

- Superelectrons 12, 138
 Surface energy 74, 183
 coherence range 77, 185
 and domain size in intermediate state 74
 effect on magnetic field at boundary 76
 measurement of 76, 80
 negative 184, 185–186
 Surface superconductivity 217
 Susceptibility of superconductor 21
 Switch, thermal 2
 Symbols xii
- Technetium, type-II superconductor 6, 191
 Thermal conductivity 62
 Thermal expansion, change at transition 62
 Thermal propagation 86–88, 111
 Thermal switch 62
 Thermodynamic variables 41
 Thermodynamics 54–63, 230
 Thermoelectricity 63, 216
 Thin films 28, 93–100, 103–111
 critical magnetic field 93–98, 196
 current distribution 107–109, 110
 intermediate state 106
 thermal propagation 111
 transition in perpendicular magnetic field 105
 Thomson coefficient 63
 Transition
 first-order 59
 latent heat 58
 reversible 40, 41
 second-order 57, 103, 152, 200
 sharpness of 8, 79
 Transition temperature
 alloys and compounds 7
 BCS theory 131
 elements 6
 and energy gap 132
 high-temperature superconductors 221, 222
 isotope effect 115, 133
 niobium 7
 range 8
 very low 5
 Transport current *see* Currents in superconductors
 Tunnelling 140–152, 160, 167
 a.c. Josephson effect 150, 165
 attenuation length 141
 between dissimilar superconductors 149
 between identical superconductors 145
 between normal metals 140
 between normal metal and superconductor 143
 conditions for 141
 experimental details 150
 Josephson 149, 160, 167
 measurement of energy gap 145
 wavefunction 141
 Two-fluid model 13, 77, 114
 BCS theory 138
 Type-I superconductors xvii, 3–180, 184, 190, 218
 Type-II superconductors xvii, 183–225
 alloys 186
 critical current 202–220
 current-carrying properties 207
 e.m.f. due to core motion 209, 214
 flow resistance 206, 209
 Ginzburg–Landau parameter 190
 Hall effect 214
 high temperature 222
 intrinsic 191
 lower critical field H_{c1} 191, 196
 magnetization 197, 199
 mixed state 183, 186
 specific heat 200
 thermodynamic critical field 193, 198
 thermoelectric effects 63, 216
 upper critical field H_{c2} 192, 194, 196, 223
 Vanadium, type-II superconductor 6, 191
 Virtual emission of phonon 119, 123
 Voltage due to flux flow 214
 Volume change at transition 62
 Vortices *see* Cores
 Wavefunction
 BCS ground state 126
 electron pairs 124, 135
 Wavelength of electron-pair wave 153, 155
 Waves, electron-pair 153
 Weak link 160, 169
 critical current 161, 169, 178
 diffraction 178
 high-temperature superconductors 224