

index

A

- Abscission layer, 75, 76
Acervulus, 174, 241, 242, 244
Acholeplasma, 512, 513
Acid rain, 162
Actidione (cycloheximide), 138
Adenine, 555
Adenosine diphosphate (ADP), 69
Adenosine triphosphate (ATP), 68
Aeciospore, 174
Aecium, 174
Aflatoxin, 368–369
African violets
 cold water rings, 170
Agaricales, 181, 374
Agrimycin, 137
Agrobacterium, 436, 438, 441, 483
Agrobacterium radiobacter, 121, 488
Agrobacterium rhizogenes, 483
Agrobacterium tumefaciens, 16, 121, 439, 484–488, 520
 auxin production, 60
Air pollution, damage to plants, 22, 148, 159–164
Albugo, 177, 192, 206
Alfalfa
 bacterial wilt, 464
 crown wart, 177, 193, 201
 dodder on, 538–540
 dwarf, 505, 506, 507–509
 leaf spot, 256, 257
 mosaic virus, 551
 potash deficiency, 166
 stem and bulb nematode, 648
Alkali injury, 167
Almond leaf scorch, 505, 506
Alternaria, 20, 57, 84, 102, 143, 180, 242, 243, 316–319, 246, 256, 304, 360–361, 362, 366, 425
 diseases, 316–319
Alternaria kikuchiana toxin, 58
Amylases, 55
Amylopectin, 55
Amylose, 55
Amylovorin, 58
Anguina, 614, 616, 620, 651–654
Angular leaf spots, 73
Antagonistic plants, control with, 123
Antheridium, 192, 209, 238, 239
Anthracnose, 182, 246
 diseases, 289–303
Antibiotics, 25, 127, 137, 445, 505, 517
Aphanomyces, 177, 192, 206
Aphelenchoides ritzemabosi, 614, 616, 620, 654–657
Apothecium, 174, 239, 241
Apple
 bitter rot, 178, 246, 289, 294–296
 black pox, 270
 black rot, 179, 303
 calyx-end rot, 319, 320
 cedar-apple rust, 180, 374, 375, 385–388
 corky spot, dieback and rosette, 164
 crow gall, 484–488
 fire blight, 457–463
 hair root, 438, 483

- herbicide injury, 169
 - internal bark necrosis, 168
 - little leaf, 165
 - Nectria canker, 282–285
 - powdery mildew, 178
 - proliferation, 511, 512
 - rubbery wood, 512
 - scab, 67, 81, 107, 112, 113, 141, 179, 180, 246, 303, 306–311
 - scald, 149
 - watercore, 151, 152
 - winter injury, 151, 153
 - Appressorium, 34, 35, 36
 - Arasan (thiram), 132
 - Arceuthobium*, 537, 544–547
 - Armillaria*, 141, 181, 375, 410, 419–421
 - root rot of trees, 419–421, 422
 - Ascocarp, 174, 239, 240, 241
 - Ascochyta*, 57, 82, 179, 245, 256
 - Ascogenous hyphae, 239
 - Ascogonium, 238, 239
 - Ascomycetes, 178, 238, 240, 241
 - diseases caused by, 237–372
 - anthracnoses, 289, 303
 - cankers, 278–289
 - foliar diseases, 255–278
 - fruit and general, 303, 324
 - postharvest diseases, 358–372
 - root and stem rots, 342–358
 - vascular wilts, 324–341
 - symptoms caused by, 246
 - Ascospore, 174, 175, 239
 - Ascostroma, 239, 241
 - Ascus, 174, 175, 239
 - Asparagus rust, 374, 383
 - Aspergillus*, 139, 169, 180, 243, 246, 362, 366–370, 426
 - toxins, 368–370
 - Aster yellows, 511, 512, 514, 521–524
 - Auxins, 59, 60
 - Avirulence, 92
 - Avocado, scab, 179
- B**
- Bacillus subtilis*, 122, 169
 - Bacteria, plant pathogenic, 8, 11, 24, 435
 - characteristics of, 436–446
 - classification, 440
 - ecology and spread, 43, 439
 - identification, 440
 - isolation of, 183, 443–444
 - morphology, 9, 436
 - reproduction, 9, 42, 439
 - rickettsialike, 12, 24, 504
 - variability in, 89
 - Bacterial diseases, 435
 - cankers, 489–498
 - control, 444–446
 - effect of moisture on, 107
 - galls, 483–488
 - scabs, 498–500
 - soft rots of vegetables, 477–483
 - spots and blights, 446–464
 - vascular wilts, 464–477
 - Bacterial L-forms, 520–521
 - Bacteriocins, 443
 - Bacteriophage (phage), 89, 121
 - Banana
 - bacterial wilt or Moko disease, 16, 60, 105, 464, 473–474
 - bunchy top, 16
 - burrowing nematode, 620, 643–647
 - Fusarium wilt (Panama disease), 59, 337–339
 - leaf spot or Sigatoka disease, 15, 246, 263–265
 - Banrot, 136
 - Barberry, stem rust of wheat on, 377–383
 - Barley
 - Helminthosporium diseases, 270–276
 - loose smut, 180, 397, 401–404
 - net blotch and spot blotch, 270–276
 - stripe mosaic virus, 551
 - yellow dwarf, 593–596
 - Basic functions in plants, 5, 6
 - Basicop, 131
 - Basidiomycetes, 180, 373, 374
 - diseases caused by, 372–431
 - root and stem rots, 410–423
 - rusts, 372–396
 - smuts, 396–409
 - wood rots and decays, 423–431
 - Basidiospore, 174, 175, 375
 - Basidium, 174, 175, 374, 375
 - Bean
 - anthracnose, 289–293
 - bacterial blights, 451–453
 - common mosaic, 588–590
 - cottony soft rot, 365
 - curly top virus, 591
 - halo blight, 447, 451–453
 - lesion nematode, 641
 - pod blight, 178
 - root rot, 353
 - rust, 180, 374, 375
 - sting nematode, 620
 - sunscald, 159
 - yellow mosaic, 588–590
 - Beet
 - boron deficiency, 164, 167

curly top virus, 590–593
 yellows virus, 16
Belonolaimus, 614, 616, 620
 Benlate (benomyl), 135
 Benomyl (Benlate), 135, 139
 Benzene compounds, control with,
 133
 Benzimidazoles, 135
 Biochemical defense, 79–85
 induced, 81–85
 preexisting, 80–81
 Biological methods of control, 120–
 123
 Biosynthetic pathways in diseased
 plants, 84
 Biotype, 90
Bipolaris, 270
 Black root rot, 342, 353, 355–356
 Blossom-end rot of fruits, 164, 166
 Blue mold rots, 180, 363
 Bordeaux mixture, 10, 131
 Boron deficiency diseases, 164, 167
 Boron toxicity diseases, 168
 Botran (dichloran), 134
Botryosphaeria, 241, 279
Botrytis, 57, 109, 119, 180, 242, 243,
 246, 256, 304, 320
 diseases, 319–323
 Bravo (chlorothalonil), 134
 Bread mold, 193
 Breakdown of host resistance, 90, 95
 Breeding of resistant varieties, 95–102
Bremia, 178, 192, 226
 Broomrapese, 9, 537, 543–544
 Brown rot fungi, 55, 425
 Brown rot of stone fruits, 311–316
 Bunt or stinking smut of wheat, 404–
 408
 Burrowing nematode, 16, 643–647

C

Cabbage, black leg, 342, 343
 bottom rot, 413, 414
 clubroot, 196–200
 leaf spot, 317
 Cacao, sickle leaf, 165
 Caddy, Cadminate, 137
 Caffeic acid, 82
 Calcium deficiency diseases, 164, 166
 Cane gall, 438, 483, 485
 Canker, 182, 246
 bacterial, 489–498
 fungal, 278–289
Capnodia, 244
 Captafol (Difolatan), 134
 Captan (Orthocide), 134
 Carbamates, 132
 Carboxin (Vitavax), 135
 Carnation rust, 374
 Carrot
 Alternaria blight, 317
 aster yellows, 521, 524
 bacterial soft rot, 478–483
 lesion nematode, 641
 Cassava, African, mosaic, 16
 Cauliflower, browning or hollow
 stem, 164
 Cedar-apple rust, 59, 118, 180, 374,
 375, 385–388
 Celery
 boron deficiency, 164
 early blight, 180
 late blight, 179
 Cell wall
 as barrier, 73
 composition, 49, 53
 enzymatic degradation, 52–55
 Cellulases, 54
 Cellulose, 53, 54
Cephalosporium, 243, 328, 330
Ceratocystis, 57, 66, 178, 325–333,
 426, 427, 464
 wilts, 327–333
Ceratocystis fagacearum, 325, 333
Ceratocystis fimbriata, 279
Ceratocystis ulmi, 178, 240, 325,
 328–330
Cercospora, 57, 139, 180, 242, 256,
 257, 267–268
Cercospora, 242
 Cereals
 anthracnose, 291
 bacterial blight or stripe, 447, 454–
 455
 ergot, 304–306
 Helminthosporium blight, 180
 rust, 180, 377–383
 smuts, 398–408
 Chemical control of diseases, 126–144
 mechanisms of action, 138
 methods of, 126–131
 restrictions on, 140
 types of chemicals, 131–138
 Chemical weapons of pathogens, 50
 Cherry
 bacterial canker and gummosis,
 489–495
 black knot, 179, 246, 280, 281
 brown rot, 311–316
 leaf spot, 179, 257–258, 261
 necrotic ringspot virus, 596–599
 yellow virus, 61, 138
 Chestnut blight, 13, 15, 116, 178, 246,
 280–282

- Chilling injury, 148, 151–154
 Chipco Spot Klean, 136
 Chlamydiales, 504
 Chlamydospore, 174, 175
 Chloranil (Spergon), 133
 Chlorine injury to plants, 163
 Chlorogenic acid, 80
 Chloroneb (Demosan, Tersan SP), 136
 Chlorophyll, 64, 65
 Chlorothalonil (Bravo), 134
Choanephora, 178, 192, 232
 Chrysanthemum
 chlorotic mottle viroid, 603, 606
 foliar nematode, 654–657
 rust, 22, 374, 383
 stunt viroid, 603, 606, 610
 Chytridiomycetes, 177
 diseases caused by, 201
 symptoms caused by, 193
 Circulative viruses, 571, 572
 Citrus
 anthracnose, 289, 300
 bacterial canker, 16, 116, 117, 438, 489
 burrowing nematode, 643–647
 citrus nematode, 614, 616, 638–639
 cottony rot, 350, 364
 exocortis viroid, 603, 606, 608–610
 hard fruit, 164
 melanose, 178, 246, 303
 scab, 179, 289
 stubborn disease, 511, 512, 517, 519, 530–532
 tristeza virus, 16, 20, 100, 600–603
Cladosporium, 180, 243, 256, 257, 366, 367, 426
Claviceps purpurea, 178, 240, 303, 304–306
 Cleistothecium, 174, 239, 240
 Clover club leaf, 12, 505, 506
 Clubroot of crucifers, 61, 109, 177, 193, 196–200
Coccomyces hiemalis, 138, 179, 241, 256, 257–258, 260
Cochliobolus, 241, 272, 276, 342
 Cocoa, *Monilia* pod rot, 16, 312
 swollen shoot, 16, 565
 Coconut palms
 cadang-cadang disease, 16, 603, 606
 hartrot disease, 12, 662, 663, 667
 lethal yellowing, 16, 511, 512, 524–526
 Code, genetic, 94
 Coding, 94, 556–560
 Coffee
 phloem necrosis (wilt), 11, 664–666
 rust, 15, 100, 374, 388–390
Coleosporium, 373, 374
Colletotrichum, 57, 179, 242, 244, 289, 291, 366
 diseases, 298–301
Colletotrichum graminicola, 36, 291, 293
Colletotrichum lagenarium, 121
 Conidiophore, 173, 174
 Conidium, 173, 174
 Conifers, dwarf mistletoe, 544–547
 needle casts and blights, 261–263
Coniothyrium, 179, 245
 Conjugation, 89
 Control of plant diseases, methods, 115–144
 biological, 120–123
 chemical, 126–143
 cultural, 117–119
 integrated, 141–143
 physical, 123–125
 regulatory, 116
 Copper deficiency diseases, 165
 Copper fungicides, 131
 Coremium, 328, 330
 Cork layer, 74, 75
 Corn
 bacterial or Stewart's wilt, 113, 464, 470–471
 brown spot, 177, 193
 downy mildew, 16
 flea beetle, 113, 470–471
 foot and stalk rot, 178, 246
 Helminthosporium leaf blight, 270–276
 root rot, 106
 rust, 373
 smut, 59, 180, 375, 397, 398–401
 southern leaf blight, 19, 91, 100, 102, 271–272
 southern or tropical rust, 373
 stalk and ear rot, 179, 342, 343–345, 346–347
 streak disease, 16
 stubby root, 620, 657–660
 stunt, 12, 61, 511, 512, 517, 518, 532–534
 white tip, 165
 yellow leaf blight, 91
Corticium, 181
Corynebacterium, 57, 438, 441, 442
Corynebacterium fascians, 61, 483
Corynebacterium michiganense, 489, 495–497
Corynebacterium sepedonicum, 464, 471, 472
Coryneum, 179, 242, 244, 289, 291, 301

- blight of stone fruits, 301–302
 Cotton
 angular leaf spot, 73, 447, 453–454
 anthracnose, 289
 crinkle leaf disease, 168
 root rot, 180, 342
 rust, 374, 384
 soreshin, 411, 412
 Verticillium wilt, 335
 Coupling, of respiration and phosphorylation, 69
Cronartium, 180, 373, 374, 390–394
Cronartium fusiforme, 391, 394
Cronartium ribicola, 118, 180, 390–393
 Crop rotation, control by, 118
 Cross protection, 120
 Crown gall, 6, 51, 60, 61, 121, 122, 484–488
 Crucifers
 blackleg, 179, 342, 343
 black rot or black vein, 438, 464, 474–476
 clubroot, 61, 109, 177, 193, 196–200
 white rust, 177, 193
 Cucumber
 angular leaf spot, 447, 453
 mosaic, 117, 585–588
 pale fruit viroid, 606
 timber rot, 347
 Cucurbit
 anthracnose, 121, 291, 298–299
 bacterial wilt, 466–470
 downy mildew, 178, 227, 229
 leaf spot, gummy stem blight and black rot, 264, 266–267
 powdery mildew, 178
 Cultural methods of control, 117–119
 Culture media, 184, 185
 Cuprocide, 132
 Curly top of sugar beets, 590–593
Curvularia, 243
Cuscuta, 537, 538–540
 Cuticle
 composition and structure, 36, 49, 52
 role in defense, 73
 Cuticular wax, 36, 49, 52
 Cutin, 49, 52
 Cycloheximide (Actidione), 138
Cylindrocarpon, 243
Cylindrocladium, 243
Cylindrosporium, 179, 242, 244, 258, 289, 291
 Cyprex (dodine), 136, 139
 Cyst nematodes, 632–638
 Cytokinins, 61–62
 Cytoplasmic inheritance, 87
 resistance, 91
 Cytosine, 555
Cytospora, 179, 242, 245, 279, 282–285
 canker, 282–285

D
 Daconil 2787, 134
 Damping off, 107, 110, 207–213, 410–415
 Defense in plants, against pathogens, 72
 biochemical, 79–85
 structural, 72–79
 Defense reaction
 cytoplasmic, 77
 hypersensitive (necrotic), 78, 79
 Defense structures, 72–79
 induced, 73
 preexisting, 72
 Deficiency diseases, 149, 161–165
 Deficiencies as defense, 81
 Defoliation, 62
 Demosan (chloroneb), 136
Dendrophoma, 245
 Deoxyribonucleic acid (DNA), 555
 Detoxification of pathogen toxins, 83
 Deuteromycetes, 179
 Dexon (diazoben), 134
 Diagnosis of plant diseases, 22, 150
Diaporthe, 178, 240, 303
 Diazoben (Dexon), 134
Dibotryon morbosum, 179, 241, 278, 279, 280–281
 Dichlone (Phygon), 133
 Dichloran (Botran), 134
 Dichloropropene-dichloropropane (DD), 627
 Difolatan (captafol), 134
 Dimethirimol, 136
 Dinitro-o-cresol (Elgetol), 134
 Dinocap (Karathane), 134
 Diphenyl, 130
Diplocarpon, 179, 241, 289, 290, 291–292
Diplocarpon rosae, 291–292
Diplodia, 179, 241, 242, 245, 342, 366, 367, 425, 426
Diplodia maydis, 179, 344, 346–347
 Discomycetes, 179, 239
 Disease
 classification, 7
 common types of, 6
 concept, 4
 control, 115–144

- cycle, 31
 - definition, 5
 - economic importance of, 13
 - environment in relation to, 104–113
 - escape, 91, 94
 - identification, 26
 - infectious, 7, 23
 - noninfectious, 25, 147–171
 - stages of development, 31
 - tolerance, 91
 - Disinfection, 127
 - Disinfestation of warehouses, 130
 - Dissemination of pathogens, 42–45
 - Dithane, 133
 - Ditylenchus*, 614, 616, 620, 647–651
 - Ditylenchus dipsaci*, 124, 647–651
 - Dodder, 9, 537, 538–540
 - Dodine (Cyprex), 136, 139
 - Dolichodorus*, 614, 616
 - Dothichiza*, 245, 279, 280, 281
 - Dothidea*, 241
 - Dothideales, 179
 - Dothidella ulei*, 179
 - Dothistroma*, 245, 256
 - Downy mildews, 10, 107, 113, 226–227
 - of grape, 227–232
 - Drechslera*, 270, 276
 - Dust injury to plants, 163
 - Dutch elm disease, 13, 15, 116, 178, 180, 246, 327–332
 - Du-Ter (fentin hydroxide), 136
 - Dwarf mistletoes of conifers, 9, 537, 544–547
 - Dwarf wheats, 18
 - Dyrene (anilazine), 135
- E**
- Edema (oedema), 148, 157
 - Eggplant fruit rot, 178
 - Elgetol, 134
 - Elm
 - bark beetles, 331
 - black leaf spot, 289, 297
 - Dutch elm disease, 178, 180, 246, 327–332
 - phloem necrosis, 511, 512, 526–527
 - Elsinoe*, 179, 289
 - Elytroderma*, 256, 261–263
 - Endogone*, 232, 432
 - Endothia parasitica*, 57, 178, 240, 279
 - Entyloma*, 397
 - Environmental factors
 - diseases caused by, 7, 147–171
 - effect on disease, 104–113
 - and plant disease epidemics, 111
 - Enzymatic degradation
 - of cell wall substances, 52–55
 - of substances contained in cells, 55–56
 - Enzymes, 51
 - activity of, in diseased cells, 52–56
 - Epidemics, 99
 - effect of environment on, 111
 - forecasting of, 112
 - Epidermal cell walls
 - role in defense, 72, 73
 - structure, 49
 - Epinasty, 62
 - Eradicants, 126
 - Eradication, 117
 - Ergot, 13, 15, 178, 246, 303, 304–306
 - Erwinia*, 57, 62, 66, 108, 359, 436, 438, 440, 441, 442, 447
 - Erwinia amylovora*, 58, 139, 439, 457–463
 - Erwinia carotovora*, 477, 478–482
 - Erwinia carotovora* var. *atroseptica*, 477, 479–482
 - Erwinia stewartii*, 464, 470–471
 - Erwinia tracheiphila*, 466–470
 - Erysiphales, 178, 240
 - Erysiphe*, 178, 240, 251
 - Ethazole (Truban, Terrazole), 136
 - Ethirimol, 136
 - Ethylene
 - injury to plants, 163
 - production by pathogens, 62
 - Ethylene dibromide (EDB), 627
 - Etiolation, 158
 - Euscomycetes, 178, 238
 - Eutypella*, 279
 - Exobasidium*, 181, 374
 - Exudates, fungitoxic, 80
- F**
- Fasciation, 438
 - Fentin hydroxide (Du-Ter), 136
 - Ferbam, 133
 - Fermentation, 68
 - Fire blight of apple and pear, 20, 107, 110, 121, 447, 457–463
 - Flagellates (Protozoa), 661–668
 - Flax rust, 93, 180
 - Flooding
 - damage by, 156, 157
 - for nematode control, 623
 - Foliage sprays and dusts, 126
 - Foliar (chrysanthemum) nematode, 620, 654–657
 - Folpet (Phaltan), 134
 - Fomes*, 181, 374, 410, 424, 426

- Fomes annosus*, 122, 410, 421, 423
 Fore (mancozeb), 133
Forma specialis (special form), 90
 Frost damage, 148, 150, 151, 153–155
 Fruiting bodies, types of, 174
Fuligo, 177, 191, 194
Fumago, 243, 244
 Fumigants, 129, 137
 Fumigators, 128
 Fungal diseases of plants, 15, 16, 172–434
 Fungi, 8, 23, 172
 classification, 177
 control, 189
 diseases caused by, 172–434
 dissemination, 43
 ecology and spread, 43, 175
 higher fungi, 178
 identification, 181
 isolation, 183, 186
 life cycles, 188, 189
 lower fungi, 177, 191, 192
 morphology, 9, 172
 reproduction, 9, 41, 173
 symptoms caused by, 182
 Fungi imperfecti, 179
 Fungicides, 131–140
 Fungo (thiophanate methyl), 136
 Fusarial toxins, 57
 Fusaric acid, 57, 83
Fusarium, 20, 57, 66, 98, 100, 105, 109, 119, 121, 122, 138, 139, 143, 180, 209, 242, 243, 325–327, 342, 361, 366, 368, 464, 632
 pink or yellow molds, 361
 root and stem rots, 122, 180, 246, 342, 352–354
 toxins (mycotoxins), 369
 wilts, 180, 246, 333–339
Fusarium moniliforme, 345, 367
Fusarium oxysporum f. *cubense*, 337–339
Fusarium oxysporum f. *lycopersici*, 333–337
Fusicladium, 180, 242, 243, 304
Fusicoccum, 57, 245
- G**
- Galacturonic acid, 52
 Gametangium, 235
Ganoderma, 374, 426
 Gels, effect on water translocation, 66
 Gene(s), types of, 91, 95
 interaction, 94
 sources of, 99
 Gene-for-gene concept, 93
 Genetic code, 94, 555–560
 Genetic recombination, 87, 90
 Genetic uniformity, 96–103
 Genetics, and disease, 86–103
 of virulence and resistance, 92
Geotrichum, 243–366
 Geranium, leaf spot and stem rot, 438, 447, 455
 Germination, 32
Gibberella, 178, 240, 342, 343–346
Gibberella fujikuroi, 61, 345
Gibberella zeae, 106, 345
 Gibberellins, 60–61
 Gladiolus, scab, 498
Gloeosporium, 179, 242, 244, 298–301
Glomerella, 178, 240, 289, 291, 292–296
Glomerella cingulata, 178, 289, 294–296
Glomus, 432, 433
 Glucose, 52, 55
 oxidation, 68
 production, 64
 Glycolysis or glycolytic pathway, 68, 84
 Glyodin, 135
Gnomonia, 178, 240, 289, 290, 291, 296–298
 Golden nematode, 123, 633
 Graft brown line, 565
 Grains
 mycotoxins in, 368–370
 postharvest decays, 366–368
 Gram staining reaction, 443
 Grape
 anthracnose, 179, 289
 bitter rot, 179, 291
 black rot, 179, 246, 259–261
 downy mildew, 10, 15, 107, 116, 177, 193, 227–232
 fanleaf virus, 564
 leaf spot, 259–261
 Pierce's disease, 12, 505, 506, 507–509
 powdery mildew, 178
 ripe rot, 289, 295
Graphium, 180, 242, 243, 328, 330, 331, 426
 Grasses
 anthracnose diseases, 291
 bacterial blight or stripe, 447, 454–455
 ergot, 304–306
 powdery mildew, 178
 root and foot rot, 178, 342, 345–346
 scab, 342, 345–346
 seedling blights, 342, 345–346
 take-all and whiteheads, 179, 342

- Gray molds and blights, 180, 246, 319–323
 Green islands, 61
 Green revolution, 18, 19
 Growth regulators, 58, 138
 Guanine, 555
Guignardia, 179, 241, 256, 259–261
 Gum, effect on water translocation, 66, 67
 Gum barrier, role in defense, 75, 775
Gymnoconia, 373, 374
Gymnosporangium, 180, 373, 374
 juniperi-virginianae, 59, 118, 180, 385–388
- H**
- Hairy root, 438
 Haustorium, 34, 176
 Hawthorn, leaf spot, 289
 rust, 374
 Heat injury, 148, 151, 152
 Heat treatment, control by, 123–125
Helicotylenchus, 614, 616
Helminthosporium, 58, 84, 122, 180, 242, 243, 246, 256, 270–276, 342, 366
Helminthosporium maydis, 19, 91
Helminthosporium victoriae, 51, 57, 61, 100
 Hemiascomycetes, 178, 238, 240
Hemicycliophora, 614, 616
Hemileia vastatrix, 373, 374, 383–390
 Herbicide injury, 168, 170
 Heterobasidiomycetes, 180
Heterodera, 614, 616, 620
Heterodera glycines, 632–637
Heterodera rostochiensis, 632, 633
Heterodera schachtii, 632, 637
 Heterokaryosis, 88
 Hexachlorobenzene, 134, 139
 High-temperature effects, 148, 151, 152
 Higher fungi, 178
 Hollyhock rust, 374, 384
 Homobasidiomycetes, 180
Hoplolaimus, 614, 616
Hormodendrum, 280
 Horsechestnut leaf blotch, 260
 Host range, of pathogens, 30
 changes in, 90
 Host reaction, to pathogens, 92
 Hot-air treatment, 124, 125
 Hot-water treatment, 124
 Hybridization, 87
 Hydathode, 34, 38
 Hydrogen fluoride injury, 163
 Hymenomycetae, 181
 Hyperparasitism, 121
 Hyperplasia, 5
 Hypersensitive reaction, in defense, 78, 79, 84
 Hypocreales, 178, 240
Hypoderma, 241, 261–263
Hypoxyton, 58, 240, 279, 425, 426
- I**
- IAA, 59
 Identification of diseases, 26
 Imperfect Fungi, 179
 diseases caused by, 237–372
 anthracnoses, 289–303
 cankers, 278–289
 foliar, 255–278
 fruit and general, 303–324
 postharvest, 358–372
 root and stem rots, 342–358
 vascular wilts, 324–341
 symptoms caused by, 246
 Inactivation, of pathogen enzymes, 83
 Inadequate oxygen, effects of, 148, 156, 158
 Incubation period, 39
 Indexing, 577–579
 Indole-3-acetic acid (IAA), 59
 Infection, 38, 40, 556–560
 type, 92
 Infectious diseases, 7, 23, 28
 Inhibitors, of enzymes, 83
 fungitoxic, 80–81
 of growth regulators, 59
 of respiration, 69, 84
 Inoculation, 31–33
 Insect transmission, of virus, 570–573
 Insect vectors, control of, 130
 Inspections, regulatory, 116–117
 Integrated control, 141–143
 Interference, 120
 Invasion, 39
 Iron deficiency diseases, 165, 166
 Irrigation, effect on diseases, 19
- K**
- Karathane (dinocap), 134
 Kinetin, 61, 138
 Koban (ethazole), 136
 Koch's postulates, 26
 Kocide, 132
 Krebs cycle, 68
- L**
- Lactic acid, 68
 Late blight of potato and tomato, 10, 15, 99, 105, 107, 112, 113, 141, 219–226

- Latent infection, 38, 563
Lecanosticta, 256
Lenzites, 181, 374, 427
Leptostroma, 245
Leptothyrium, 245
 Lesion nematodes, 639–643
 Lettuce
 aster yellows, 521–524
 downy mildew, 178
 gray mold, 320
 L-form bacteria, 520–521
 Light
 diseases caused by, 158
 effects on disease development,
 109
 Lignin, 53, 54
 Lilac, blight, 438
 powdery mildew, 178
Limacina, 244
 Lime sulfur, 132
 Lipids, degradation of, 55, 56
 Local lesions, 84
Longidorus, 614, 616, 622
 Loose smut of barley and wheat,
 401–404
Lophodermium, 179, 241, 256, 261–
 263
 Losses, from disease, 13, 14, 17
 Lower Fungi, 177, 191, 192
 Low-temperature effects, 148, 150–
 155
 Lycomarasmin, 57
- M**
- Macrophoma*, 245
Macrophomina, 410, 416
 Magnesium deficiency diseases, 164,
 166
 Maize dwarf mosaic virus, 551
 Mancozeb, 133
 Maneb (Tersan LSR), 133
 Manganese deficiency diseases, 165
 Manganese toxicity, 168
 Manzate, 133
 Maple tar spot, 179
 Eutypella canker, 279
Marasmius, 181, 374, 410
Marchitez sorpresiva, 664
Marssonina, 179, 244, 289, 290, 291
 Masked symptoms, virus, 563
 Mechanical force, of pathogens, 49
 Mechanical inoculation, of viruses,
 568, 569
 Mechanisms of action
 of fungicides, 138
 of growth regulators, 58
 of toxin, 56
 Mechanisms of variability, 86–90
Melampsora, 180, 373, 374
 Melanconiales, 179
Melanconium, 179, 244, 289, 291
Meloidogyne, 59, 66, 123, 138, 614,
 616, 620, 628–632
 Mertect (thiabendazole), 136
 Messenger RNA, 94
 virus RNA as, 555–560
 Metabolism, in diseased plants, 69
 Methyl bromide, 627
Microsphaera, 178, 240, 251
 Middle lamella, 52, 53
 Mistletoe, dwarf, 544–547
 true or leafy, 537, 547–548
 Moisture, 148, 155, 156
 damage by excess of, 155, 157, 158
 damage by lack of, 156, 157
 effect on infectious diseases, 106
 Molds
 blue or green, 180, 363
 gray, 319–323, 361
 pink or yellow, 361
 Mollicutes, 361, 441
Monilia, 242, 243
 Moniliales, 179, 242, 243
Monilinia, 179, 241, 303, 311–316
Monilinia fructicola, 105, 179, 303,
 311–316
Monilinia roreri, 312
 Mosaics, 563, 564, 564
Mucilago, 177, 191, 194
Mucor, 192, 232, 359
 Multilines, 98
 Mutants, biochemical, 81
 Mutation, 87
 Mycelia sterilia, 180
 Mycelium, in vessels, 67
 Mycoparasitism, 122
Mycoplasma, 8, 9, 12, 24, 511, 512, 513
 Mycoplasma-like organisms of plants, 8,
 9, 511, 514–517
 diseases caused by, 511–536
 insect transmission of, 515–516
 symptoms caused by, 512
 Mycorrhizae, 29, 121, 431–434
Mycosphaerella, 179, 241, 256, 263–
 267
Mycosphaerella fragariae, 264, 265,
 266
Mycosphaerella melonis, 264, 266–
 267
Mycosphaerella musicola, 263–265
 Mycotoxicoses, 368–370
 Mycotoxins, 368–370
 Mylone, 627
 Myxomycetes, 177, 192
 diseases caused by, 191–200
 symptoms caused by, 193

N

- Nabam, 133
- Narcissus, bulb nematode, 648
- Natural openings
 - as defense structures, 73
 - in penetration, 34, 37, 38
- Necrotic defense reaction, 78
- Necrotic lesions, 74, 75
- Necrotic ringspot virus, 596–599
- Nectarhode, 34, 38
- Nectria*, 178, 240, 278, 279
- Nectria* canker, 246, 282–285
- Nemagon, 627
- Nematicides, 129, 627
- Nematodes, 8, 9, 11, 23, 612–660
 - anatomy, 612–614
 - classification, 615–617
 - ecology and spread, 615
 - interrelationships with other parasites, 621–623
 - isolation of, 617–619
 - life cycles, 614–615
 - parasites of, 122
 - types of, 614
- Nematode diseases of plants, 612–660
 - control, 623–627
 - mechanisms of disease induction, 619, 621
 - symptoms, 619, 620
- Neovosia*, 397
- Nigrospora*, 243, 367
- Nitrogen deficiency diseases, 164, 166
- Nitrogen dioxide, injury by, 160, 162
- Noninfectious diseases, 7, 25, 147–171
- Nonobligate parasite, 29
- Nucleic acid, in virus synthesis and infection, 554–560
- Numularia*, 240
- Nutrient media, 184, 185
- Nutrition, effect on diseases, 110
- Nutritional deficiencies, 149, 161, 164, 165

O

- Oak
 - anthracnose, 289, 290, 297
 - leaf blister, 247, 248
 - wilt, 332–333
- Oats
 - barley yellow dwarf virus on, 593–596
 - crown rust, 373
 - Helminthosporium* blights, 270–276
- Obligate parasite, 29

- Ochratoxins, 370
 - Oedema (edema), 148, 157
 - Oidium*, 438
 - Olive knot, galls, 438, 483
 - Olpidium*, 177, 192, 201
 - Onion
 - aster yellows on, 512, 521–524
 - bacterial soft rot, 477, 478
 - blast and neck rot, 319–323
 - dodder on, 538–540
 - downy mildew, 226, 228
 - smudge, 80, 291, 293, 299
 - smut, 180, 375, 408–409
 - stem and bulb nematode, 620, 647–651
 - white rot, 416
 - Oomycetes, 177
 - diseases caused by, 206–232
 - symptoms caused by, 193
 - Oospore, 174, 192
 - Ophiobolus*, 58, 179, 241, 342
 - Orobanchae*, 537, 543–544
 - Ortho lawn and turf fungicide, 132
 - Overwintering and oversummering of pathogens, 45
 - Oxanthiins, 135
 - Oxidative phosphorylation, 69
 - Oxycarboxin (Plantvax), 135
 - Oxygen, damage by lack of, 148, 156, 158
 - Oxyquinoline sulfate, 137
 - Ozone injury, 160, 162
- P
- Palm,
 - coconut, cadang-cadang, 16, 603, 606
 - hartrot, 662, 663, 664
 - lethal yellowing, 16, 511, 512, 524–526
 - oil, sudden wilt, 664
 - Panama disease, of banana, 337–339
 - Papilla, 36
 - Parasexualism, 88
 - Parasite, 28, 29
 - Parasitic higher plants, 9, 23, 537–548
 - Parasitism, 28
 - Paratylenchus*, 614, 616
 - Particulate matter, injury by, 163
 - Pathogenicity, 28, 29
 - variability in, 90
 - Pathogens
 - attack of plants by, 48
 - dissemination of, 42, 43
 - effect of, on plant
 - absorption of water by roots, 66
 - photosynthesis, 64

- respiration, 68–70
- translocation, 66–68
- transpiration, 67
- elimination by heat, 124
- growth and reproduction of, 40
- host range of, 30
- overwintering and oversummering of, 45
- reproduction of, 9
- variability of, 86
- Patulin, 370
- Pea, blight, 179, 447, 452
- chilling injury, 153
- Peach
 - brown rot, 246, 311–316
 - canker, 178, 179, 285–288
 - crown gall, 485
 - leaf curl, 246, 247–250
 - phony peach disease, 505, 506
 - powdery mildew, 251–255
 - Rhizopus soft rot, 365
 - rust, 375
 - Verticillium wilt, 335
 - X-disease, 511, 512, 527–528
 - yellows, 16, 511, 512, 515
- Peanut rust, 383
- Pear
 - black spot, 58
 - blister canker, 270
 - decline, 16, 20, 100, 511, 512, 528–530
 - fire blight, 16, 100, 110, 457–463
 - frost damage, 153
- Pectic substances, 52, 53
- Pectinases, 52
- Pellicularia*, 181, 410
- Penetration, 33, 34, 35, 36
- Penetration peg, 34, 35, 36
- Penicillium*, 137, 139, 180, 242, 243, 246, 366, 367, 368, 426, 427
- toxins (mycotoxins), 368–370
- Peniophora*, 122, 181, 374, 427
- Pentachloronitrobenzene (PCNB, Terachlor), 134, 139
- Pentose pathway, 68, 70, 84
- Pepper
 - anthracnose, 293
 - bacterial spot, 447, 455
 - cucumber mosaic virus, 586
- Perenox, 132
- Periconia*, 84, 243
- Periconia circinata* toxin, 58
- Perithecium, 239, 240, 241
- Peronospora*, 177, 192, 226, 227
- Peronosporaceae, 10, 177
- Peroxyacetyl nitrate (PAN) injury, 160–162
- Pestalotia*, 244
- Pesticides, effect on diseases, 20
- Phage, 89, 121
- Phakopsora*, 373, 375
- Phaltan (folpet), 134
- Phaseolin, 82
- Phenol(s), 82
- Phenol oxidases, 83, 84
- Phenolics, common, 82
- from nontoxic complexes, 82
- Phloem
 - effect of viruses on, 68
 - nutrient transport, 67
- Pholiota*, 181, 374, 427
- Phoma*, 173, 179, 245, 342
- Phomopsis*, 179, 245, 304
- Phoradendron*, 537
- Phosphorus deficiency diseases, 164
- Photosynthesis, effect of pathogens on, 64
- Phragmidium*, 180, 373, 374
- Phycomycetes, 177
- diseases caused by, 200–232
- symptoms caused by, 193
- Phygon, 133
- Phyllachora*, 240
- Phyllactinia*, 240, 251
- Phyllosticta*, 58, 91, 179, 242, 245, 246, 256, 259, 260
- Phymatotrichum*, 105, 180, 243, 342, 354–355
- Physalospora*, 77, 173, 179, 241, 246, 303, 367
- Physarum*, 177, 191, 192, 194
- Physoderma*, 177, 192, 201, 205–206
- Phytoalexins, 82
- Phytomonas*, 672, 663, 666, 667
- Phytomonas leptovasorum*, 662, 664–666
- Phytophthora*, 57, 108, 121, 138, 141, 143, 177, 192, 213–226, 359, 432
- diseases, 213–226
- foot, crown, collar, stem, or trunk rots, 216–219
- late blight of potato and tomato, 219–226
- root rots, 214–216
- Phytophthora cinnamomi* zoospores, 35
- Phytophthora infestans*, 10, 59, 79, 105, 113, 143, 219–226
- Pine
 - blister rust, 118, 120, 180, 374, 375, 390–393
 - brown spot, 246, 261–263
 - dwarf mistletoe, 544–547
 - fusiform rust, 120, 374, 375, 391, 394
 - needle blight, 179, 261–263

- Plant disease
 classification, 7
 concept, 4
 definition, 5
 economic importance, 13, 17
 identification, 22
 interference with basic functions, 5, 6
- Plant pathology
 history of, 7–12
 objectives, 3, 4
 sciences related to, 4
- Plant quarantine, 116
- Plantvax [oxycarboxin], 135
- Plasmodesmata, 53, 67
 virus movement through, 560, 561
- Plasmodiophora*, 177, 191, 192, 194
- Plasmodiophora brassicae*, 66, 109, 177, 192–200
- Plasmodium, 173
- Plasmodium viticola*, 177, 192, 227–232
- Pleospora*, 241
- Pleurotus*, 181, 374, 427
- Plum
 black knot, 179, 246, 280, 281
 brown rot, 311–316
 leaf scorch, 505–506
 leaf spot or shot hole, 257–258
 pocket, 246, 247–250
 pox or sharka, 16, 565
- Podospaera*, 178, 240, 251
- Pollen transmission of viruses, 569, 570
- Polymyxa graminis*, 177, 192, 194, 195
- Polyphenol oxidase, disease resistance and, 83, 84
- Polyporales, 181, 374
- Polyporus*, 181, 374, 375, 410, 424
- Polyram, 136
- Polyribosomes* or *polysomes*, 94
- Polysaccharides, 52, 53, 54, 55, 62
 effect on water translocation, 67
- Poplar
 anthracnose, 290
 Dothichiza canker, 280, 281
- Poria*, 181, 374, 375, 410, 426, 427
- Postharvest diseases, 358–372
 control of, 130
 of fruits and vegetables, 234–237, 360–366
 of grains and legumes, 366–371
 mycotoxins in, 368–371
- Potassium deficiency diseases, 164, 166
- Potato
 bacterial soft rot, 478–483
 blackheart, 151
 blackleg, 479–482
 black scurf, 413
 black wart, 177, 193, 201, 202–204
 common scab, 80, 108, 109, 438, 498–500
 early blight, 143, 316–319
 frost damage, 151, 153
 golden nematode, 633
 high-temperature damage, 151
 late blight, 10, 15, 99, 105, 107, 112, 113, 141, 177, 219–226
 powdery scab, 177, 193
 ring rot, 142, 143, 438, 464, 471, 472
 root knot nematode, 620
 spindle tuber viroid, 12, 603, 604, 606–608
 stem and bulb nematode, 620
 yellow dwarf virus, 117
- Powdery mildew, 20, 37, 67, 107, 120, 240, 250–251
 of rose and peach, 251–255
- Pratylenchus*, 614, 616, 620, 639–643
- Protectants, 126
- Protein subunits, 553, 559
- Proteinase, 55
- Proteins, 55, 559
 enzymes and, role in defense, 83
- Protozoa, 8, 9, 11, 661
 diseases caused by, 661–668
- Pseudomonas*, 57, 62, 66, 108, 359, 436, 438, 440, 441, 442, 447, 477
- Pseudomonas lacrymans*, 447, 453
- Pseudomonas morsprunorum*, 447, 489–495
- Pseudomonas phaseolicola*, 447, 451–453
- Pseudomonas solanacearum*, 62, 105, 464, 473–474
 auxin production, 60
 ethylene production by, 62
- Pseudomonas syringae*, 447, 489–495
- Pseudomonas tabacci*, 56, 437, 447, 448–451
- Pseudoperonospora*, 137, 178, 192, 227
- Pseudopeziza*, 179, 241, 256, 257, 258
- Psylla pyricola*, 530
- Puccinia*, 102, 109, 110, 180, 373, 374
- Puccinia graminis*, 90, 98, 100, 373, 377–385
- Puccinia graminis tritici*, 19, 88, 105, 118, 375, 377–385
- Puccinia recondita*, 19
- Puccinia striiformis*, 19
- Pycnidium, 174, 240, 241, 245
- Pycniospore, 376
- Pycnium, 377
- Pyrenophora*, 241
- Pyricularia*, 180, 243, 256

Pyricularia oryzae, 19, 57, 258
 Pyricularin, 57, 83
 Pyrimidines, 136
 Pythium, 20, 108, 110, 119, 121, 122,
 143, 177, 192, 207–213, 432, 632

Q

Quarantines and inspections, 116
 Quinone fungicides, 133
 Quinones, accumulation of, 83

R

Race, pathogen, 90
 Radiation, control by, 125
Radopholus similis, 614, 616, 620,
 643–647
Ramularia, 243
 Raspberry
 anthracnose, 179, 289
 cane blight, 179
 cane gall, 438, 483, 485
 dagger nematode, 620
 orange rust, 374
 Recombination, genetic, 87–90
 Refrigeration, control by, 125
 Regulatory methods of control, 176
 Relative humidity, damage by low,
 155, 156
 Repressor molecule, 95
 Reproduction, of pathogens, 40, 41
 Resistance, to disease, 86, 92
 breakdown of, 90
 genetics of, 92
 nature of, 94–95
 types of, 91
 Resistance to chemicals, 139–140
 Resistant varieties
 breakdown of, 90, 95
 breeding of, 95, 101
 control through, 120
 multilines of, 98
 Respiration
 of diseased plants, 69
 effect of pathogens on, 68–70
Rhodocline, 241, 256
Rhizobium, 438, 441, 501, 503
Rhizoctonia, 75, 81, 108, 109, 180,
 209, 243, 359, 375, 410–415, 632
 brown patch, 412–413
 damping off, 411
 soil rot, 411
 soreshin, 411, 412
 wire stem, 411
Rhizopus, 178, 192, 232, 234–237,
 359, 362, 426

 soft rot of fruits and vegetables, 233,
 234–237, 365
 Rhizomorph, 419, 420, 421
 Rhizomycelium, 173
 Rhododendron, frost damage, 154
Rhynchosporium, 243
Rhytisma, 179, 241, 256
 Ribonucleic acid (RNA), 554–560
 Ribose, 555
 Ribosomes, 556, 557–560
 Rice
 bacterial leaf blight, 16, 19, 447
 bacterial leaf streak, 19, 447
 bakanae, or foolish seedling disease,
 61
 blast disease, 19, 57, 258
 brown spot or blight, 15, 270, 273
 Hoja blanca, 16, 19
 sheath and culm blight, 413
 smuts, 397
 Ringspots, 563, 564
 Rishitin, 82
 RNA polymerase (replicase, syn-
 thetase), 556
 Root exudates, toxic, 80
 Root-knot nematodes, 16, 59, 123,
 620, 628–632
 Root nodule bacteria, 29, 438, 501–
 503
 Root and stem rots
 caused by Ascomycetes and Imper-
 fects, 246, 342–358
 caused by Basidiomycetes, 410–423
 caused by Phycomycetes, 193,
 207–219
 caused by sterile fungi, 410–418
 Rose
 black spot, 179, 289, 290, 291–292
 crown gall, 485
 dagger nematode, 620
 powdery mildew, 246, 251–255
 rust, 180, 374, 375
Rosellinia, 178, 240
Rotylenchulus, 614, 616
Rotylenchus, 614, 616
 Rubber leaf spot or blight, 15, 179
 Rusts
 cereal, 377–383
 forest tree, 390–394
 kinds of, 375–377
 white, 177, 193, 206
 Rye, ergot, 13, 15, 304–306

S

Saccharomyces, 240
 Sanitation, control by, 118
 Saprolegniales, 177

- Schizophyllum*, 181, 374, 427
Scirrhia, 241, 256, 261–263
Scleroderis, 241
Sclerospora, 178, 192
Sclerotinia, 10, 108, 122, 179, 241, 246, 342, 347–351, 364, 365
Sclerotinia homeocarpa, 347, 350–351
Sclerotinia sclerotiorum, 179, 347–350
Sclerotium, 31, 46
Sclerotium, 108, 180, 243, 359, 375, 410, 415–418
Sclerotium rolfii, 110, 416
Scolytus multistriatus, 331
 Scopoletin, 82
 Seed, disinfection, disinfestation, 127, 137
 Seed-gall nematode, 620, 651–654
 Seed rot, 207–213, 246, 410–415
Septoria, 19, 102, 179, 242, 245, 246, 256, 268–270
 Serological methods, 575, 576
 Sexuallike processes, 88–90
 Slime molds, 191, 192, 193, 194
 Smuts, 10, 15, 32, 120, 373, 396–409
 corn, 398–401
 covered or bunt, 404–408
 loose, of barley and wheat, 401–404
 onion, 408–409
 Snapdragon rust, 374, 383, 384
 Snow mold, of cereals and turf, 105
 Soft rots of fruits and vegetables, 51
 bacterial, 125, 477–483
 fungal, postharvest, 234–237, 360–366
 Soil
 fumigants, 129, 137
 reaction (pH)
 diseases caused by, 167, 168
 effect on diseases, 109
 sterilization, 123
 treatment, 129, 624–627
 Sooty molds, 29, 244–245, 246, 247
 Sorghum
 effect of toxin on, 58
 loose smut, 180, 397
 rusts, 373
 Sour cherry
 necrotic ringspot virus, 596–599
 yellows virus, 61, 138, 596
 Sour rots, 361
 Southern bacterial wilt, 473–474
 Southern wilt or blight, 415
 Soybean, anthracnose, 289
 bacterial blight, 477, 452, 453
 cyst nematode, 116, 620, 632–637
 downy mildew, 193
 rust, 16, 375
 stem canker, 303
 Spergon, 133
 Spermagonium, 174
 Spermatium, 174
Sphacelia, 243, 410
Sphaceloma, 179, 244, 289, 291
Sphacelotheca, 180, 373, 397
 Sphaeriales, 178, 240
 Sphaeropsidales, 179, 242, 245
Sphaeropsis, 242, 245
Sphaerotheca, 139, 178, 240, 251
Sphaerotheca pannosa, 178, 251–255
Spiroplasma, 12, 511, 513
Spiroplasma citri, 25, 517, 519, 530–532
 Spiroplasmas, 12, 511, 513, 517–520
Spongopora subterranea, 177, 191, 192, 195, 196
 Sporangium, 173, 174
 Spores, 173, 174
 germination, 32
 Sporodochium, 240, 242, 243
 Spottrete, 132
 Spray injury, 170
 Sprayers, 128
 Sprays and dusts, 126
 Spruce, *Cytospora* canker, 286
 Squash
 bacterial wilt, 466–470
 black rot, 266–267
 Choanephora rot, 178, 193, 232, 233
Stachybotrys, 368
 toxins, 369
Stagonospora, 245
 Starch
 in virus-infected plants, 68
 composition and degradation, 55, 601
 Stem and bulb nematode, 620, 647–651
 Stem pitting, 565, 601
Stemphylium, 243
Stereum purpureum, 181, 424
 Sterile fungi, 243, 410–418
 Stomata
 dysfunction, 67
 role of, in defense, 73
 Stone fruits
 bacterial canker and gummosis, 489–495
 bacterial spot or shot hole, 447, 455–457
 brown rot, 105, 179, 303, 311–316
 Coryneum blight, 179, 291, 301–303
 necrotic ringspot virus, 596–599
 Strawberry
 gray mold, 320, 321
 leaf scorch, 179, 289

- leaf spot, 264, 265–266
 - Streptomyces*, 243, 436, 437, 438, 441, 442
 - Streptomyces griseus*, 137, 138
 - Streptomyces scabies*, 80, 108, 109, 498–500
 - Streptomycin, 137, 139
 - Striga asiatica*, 537, 540–543
 - Stroma, 239
 - Structural defense, 72–79
 - Strumella*, 180, 243, 279
 - Stubby-root nematodes, 620, 657–660
 - Sugar beet
 - curly top, 590–593
 - cyst nematode, 16, 620, 633, 637
 - heart rot, 164
 - leaf spot, 257, 267–268
 - root knot, 620
 - yellow virus, 16
 - Sugar cane
 - brown stripe, 270
 - eye spot, 270
 - mosaic, 16
 - ratoon stunt, 505, 506
 - red rot, 291
 - rust, 373
 - Sulfur deficiency diseases, 165
 - Sulfur dioxide injury, 161, 162
 - Sulfur fungicides, 132
 - Sunscald injury, 148, 151, 152
 - Sweet potato
 - Rhizopus soft rot, 193, 234–237
 - soil rot or pox, 438, 498
 - Sycamore, anthracnose, 289, 290, 297
 - Symbiosis, 29
 - Symptomless carrier, 563
 - Symptoms, 5, 148, 149, 193, 246, 375, 438, 512, 564, 565, 620
 - Synchytrium endobioticum*, 177, 192, 201, 202–204
 - Syncytium, 635, 636
 - Synnema, 240, 242, 243
 - Systemic
 - fungicides, 126, 135
 - symptoms, 562
- T**
- Tabtoxin, 56
 - Taphrina*, 178, 240, 247–250
 - Teliospore, 174, 373
 - Telium, 174, 373
 - Temperature
 - as cause of disease, 148, 150–155
 - effect on disease development, 105–106
 - Termil (chlorothalonil), 134
 - Terminal oxidation, 68
 - Terrachlor (PCNB), 134
 - Terra-Coat, 136
 - Terrazole (ethazole), 136
 - Tersan (thiram), 132
 - Tersan 1991 (benomyl), 136
 - Tersan LSR (maneb), 133
 - Tetracyclines, 137
 - Texas root rot, 354–355
 - Thanatephorus*, 181, 410
 - Thermotherapy, 25
 - Thiabendazole (Mertect), 136
 - Thielaviopsis*, 180, 243, 342
 - Thielaviopsis basicola*, 106, 180, 355–356
 - Thiophanate ethyl (Topsin), 136
 - Thiophanate methyl (Fungo), 136
 - Thiram, 132
 - Thymine, 555
 - Tilletia*, 139, 180, 373, 397, 404–408
 - Timber rot of vegetables, 347
 - Tissue culture, control by, 119
 - Tobacco
 - angular leaf spot, 447
 - black root rot, 106, 180, 342, 353, 355–356
 - downy mildew (blue mold), 15, 113, 177, 227, 228
 - etch virus, 61
 - flecking, by ozone, 161
 - frenching, 169
 - mosaic, 11, 551, 581–585
 - ozone injury, 160, 161, 162
 - top sickness, 164
 - wildfire disease, 447, 448–451
 - Tobacco mosaic virus, 11, 551, 582, 583
 - Tobaz (thiabendazole), 136
 - Tomato
 - anthracnose or ripe rot, 293, 299
 - aster yellows, 521–524
 - bacterial canker and wilt, 495–497
 - bacterial spot, 447, 455
 - boron deficiency, 167
 - cucumber mosaic virus on, 586
 - early blight, 316–319
 - Fusarium wilt, 110, 333–337
 - late blight, 219–225
 - leaf mold, 180, 257
 - potassium deficiency, 166
 - root knot, 620, 628–632
 - soil rot, 413, 415
 - southern bacterial wilt, 473–474
 - stolbur, 512
 - tobacco mosaic on, 581–585
 - Topsin (thiophanate ethyl), 136
 - Toxic soil minerals, 165
 - Toxins
 - in plant disease, 51, 56–58

in infected grains, 368–370
 Trace elements, 161
 Transduction, 89
 Transfer RNA, 557
 Transformation, 89
 Translocation
 effect of pathogens on, 65
 of organic nutrients, 67
 of viruses, 560–561, 562
 Transpiration, effect of pathogens on,
 67
 Trap crops, 123
Tranzschelia, 373, 375
 Tree injection apparatus, 128
 Tree wounds, treatment, 129
 Tremorgenic toxins, 370
 Triarimol, 136
 Tribasic, copper, 131
Trichoderma, 122, 243
Trichodorus, 614, 616, 620, 622, 657–
 660
 Trichothecene, 369
 Triforine, 136
 Tristeza disease of citrus, 600–603
 Truban (ethazole), 136
Tubercularia, 242, 243
 Tumor inducing principle, 60
 Turf grasses
 brown patch, 412–413
 dollar spot, 342
 fairy ring disease, 181
 Helminthosporium leaf spots,
 crown rot and melting out, 180,
 270–276
 red thread disease, 181
 slime mold, 193
 snow mold or blight, 181
Tylenchorhynchus, 614, 616
Tylenchulus, 614, 616
Tylenchulus semipenetrans, 638–639
 Tyloses, 67, 75, 76
Typhula, 105, 181, 410

U

Uncinula, 178, 240, 251
 Uncoupling, 69
 Uracil, 555
Uredium, 174, 373
Uredospore, 174, 373, 384
Urnula, 279
Urocystis, 180, 373, 397
Uromyces, 180, 373, 374
Urophlyctis, 177, 192, 201
Ustilago, 139, 180, 373, 397
Ustilago maydis, 397, 398–401
Ustilago nuda, 397, 401–404
Ustilago tritici, 397, 401–404

V

Valsa, 178, 240, 246, 279, 285–288
Vapam, 627
 Variability of pathogens, 86–90
 Variability in plants, 96
 Variant, 90
 Vascular wilts, 324–341, 464–477
Venturia inaequalis, 81, 139, 179, 241,
 306–311
 Vectors, control of, 130
Verticillium, 66, 80, 100, 119, 143,
 180, 243
 wilts, 61, 324–327, 335, 339–340,
 464
 Vessel collapse or plugging, 67
 Victorin, 57
 Viral diseases, 549–611
 acquired immunity to, 563
 control of, 580
 economic importance, 570–580
 physiology of, 564, 565, 566, 567
 symptoms, 561–564, 565, 566
 Viroids, 12, 24, 42
 diseases caused by, 603–611
 properties of, 603–606
 symptoms caused by, 606
 Virulence, 90, 92
 Viruses, 8, 9, 11, 549–611
 biological function of components,
 556
 classification, 576–577, 578
 composition and structure, 553–554
 control, 580
 detection, 24, 550
 distribution in plant, 560–561, 562
 identification, 576, 577, 578, 579
 infection, 556–560
 morphology, 551–553
 multicomponent, 90, 552, 578
 nomenclature, 576–577, 578
 protein subunits, 556–560
 purification, 574–575
 serology, 575–576
 strains, 121
 synthesis, replication, 42, 556–560
 translocation, 560–561, 562
 transmission and spread, 566–574
Viscum, 537
Vitavax (carboxin), 135
Vorlex, 627
 Vulnerability of uniform crops, 99

W

Walnut
 anthracnose, 179, 289
 bacterial blight, 438, 447

Warehouse, disinfestation, 130
 Watermelon
 anthracnose, 293, 297, 298–299
 gummy stem blight, 266–267
 Watery soft rot, 347–350, 364
 Wax, as defense structure, 73
 Weather and disease forecasting,
 112
 Weed killers, effects of, 20, 168–
 170
 Wheat
 barley yellow dwarf virus, 593–596
 covered smut or bunt, 9, 180, 397,
 404–408
 crown and root rot, 270–276
 dwarf bunt, 397
 Helminthosporium leaf spots,
 270–276
 leaf and glum blotch, 19, 268–270
 leaf rust, 19, 373–376
 loose smut, 180, 397, 401–404
 scab, 345–346
 seed-gall nematode, 620, 651–654
 stem rust, 15, 18, 19, 73, 90, 105,
 110, 118, 373, 377–383
 stripe rust, 19, 373
 take-all disease, 179
Whetzelinia, 342
 White pine blister rust, 390–393
 White rot fungi, 55, 425
 Wildfire of tobacco, 56, 448–451
 Wilts, vascular, 324–341, 464–777
 Wind, effect on disease, 186
 Witches' broom diseases, 62, 511
 Witchweed, 9, 537, 540–543
 Wood, rots and decays, 423–431
 soft rots, 425–426
 Wood-staining fungi, 426
 Wound treatment, of trees, 129
 Wound tumor, 565

X

Xanthomonas, 57, 62, 137, 436, 438,
 441, 442, 447
Xanthomonas campestris, 464, 465,
 474–476
Xanthomonas citri, 489
Xanthomonas malvacearum, 447, 453
Xanthomonas pelargonii, 447, 455
Xanthomonas phaseoli, 447, 451–453
Xanthomonas pruni, 447, 455–457
Xanthomonas translucens, 447, 454–
 455
Xanthomonas vesicatoria, 447, 455,
 456
Xiphinema, 614, 616, 620, 622
Xylaria, 178, 426
 Xylem, dysfunction in vascular wilts,
 66

Y

Yellowed-rice toxins, 370
 Yellow-type diseases, 68, 511

Z

Zearalenone, 369
 Zeatin, 61
 Zinc deficiency diseases, 165
 Zinc naphthenate, 137
 Zineb, 133
 Zinophos, 627
 Ziram, 133
 Zoosporangium, 174
 Zoospore, 173, 174
 Zygomycetes, 178
 diseases caused by, 232
 symptoms caused by, 193
 Zygosporium, 174, 175