

SUBJECT INDEX

A

- AHTL, *see* N-Acetylhomocysteine thiolactone
- ATP, *see* Adenosine triphosphate
- A-protein, of tobacco mosaic virus
degradation, 341
isolation, 341
methylmercury substituted, 343
reconstitution of virus with, 343
molecular weight, 339
properties, 341-342
reaggregation, 342
to virus rods, 342
structure, 339, 344
SH groups of, 340, 342, 344
comparison with viral SH groups, 342
structural role of, 343, 344
- N-Acetylhomocysteine thiolactone, 16
thiolation of gelatin with, 16-18
- Acid groups
heme-linked, 436
- Actin
interaction with myosin, role of sulfhydryl compounds, 297
polymerization, role of sulfhydryl groups in, 329
possible transformation of globular to fibrous—in muscle contraction, 329-332
reaction with salyrgan, 329-331
difference in reactivity of G- and F-actin, 329
sulfhydryl groups of, 329-333
role in polymerization, 329
- F-Actin
transformation to G-Actin in muscle contraction, 329-333
- G-Actin
transformation of F-Actin to — in muscle contraction, 329-333
- Actomyosin
amino groups of, enzymatic properties and, 328
binding of inorganic pyrophosphate by, 302-303
contractile tail protein of T₂ bacteriophage and, 353, 355, 363
inorganic pyrophosphate and, 302-303
interaction of nucleotides with, 297
light scattering by, 300
sulfhydryl groups of, 317
- Adenosine triphosphate
actomyosin and, 319, 322
in contractile tail protein of T₂ phage, 348
dissociation of actomyosin by, 318, 319 ff, 322
hydrolysis, mechanism, 332, 336
role in muscle contraction, 317 ff, 332-333
in T₂ bacteriophage, 348, 358-360
determination of, 358
role of, 359-360
- Albumin, blood
bovine
chemical properties of sulfhydryl groups in, 75-92
cross linking in, 103
denaturation, role of SH group in, 75-76
effect of urea on, 83, 88, 89
equilibrium phenomena in, 81-82
probabilities of isomers of, 102
proposed structure, 81
reaction with copper, 83-88, 89
ultraviolet absorption of cupric complex, 84 ff.
reaction with silver, 76-80, 81, 88, 89-90, 431, 439
effect of amino group on, 431-432
factors affecting, 78-79
reaction with sulfite, 9
sulfhydryl groups of, 75-92
nature of, 80-83, 88, 91, 433-434
oxidation of, 344
composition of bovine and human, 75
copper spectrum, species differences in, 89
disulfide bonds of, 102, 104, 430
structural changes following breaking of, 430

- equine, cystine linkage in, 26
 molecular configuration, 26, 104
 optical rotation, 27
 effect of cleavage of disulfide bonds on, 27, 30
 effect of denaturing agent, 30
 reaction with iodoacetamide, 76, 80, 81, 88, 90
 relation of disulfide to sulfhydryl groups in, 427
 sulfhydryl content, determination, 91
 Alcohol dehydrogenase
 horse liver, 225-227
 activity, sulfhydryl groups and, 225
 inhibition by PCMB, 227
 with heavy metal ions, 226, 227
 yeast, *see* Yeast alcohol dehydrogenase
 Aldolase
 catalytic activity, effect of urea on, 204, 205
 substrate and, 205-206
 inhibition by sulfhydryl reagents, 246
 molecular weight, 203
 optical rotation, effect of urea on, 207, 208
 sulfhydryl groups of, 203, 427
 reaction with PCBM, effect of urea on, 206
 Alkali chlorides
 activation of β -galactosidase by, 235, 236
 Alkyl thiosulfates
 conversion of thiols and disulfides to, 6-10
 properties of, 11-12
 Amino acid sequence
 in cytochrome c, 142 ff.
 in peptides isolated from, 143-146
 Amino acids
 in alcohol dehydrogenase from bakers' yeast, 220
 flanking cysteine residues in cytochrome c, 142-143
 2-Amino-2-thiazoline-4 carboxylic acid
 formation, 5, 11
 Ammonia
 effect on albumin sulfhydryl linkage, 79, 81
 Amperometric titration
 argentometric, 154, 156, 172
 of fibrin stabilizing factor, 116, 117, 118, 119, 120
 of hemocyanin, 131-133
 of human hemoglobins, 134, 154, 155, 156, 162, 172
 with mercury-coated platinum electrode, 162-163
 of sulfhydryl groups, 220, 247, 248-249, 250-252, 262
 of glutathione, 406
 mercurometric, 155, 156
 of hemoglobin, 175
 of sulfhydryl groups in muscle proteins, 292, 294
 Annelids
 paramyosin in muscles of, 291
 Anthers
 lily, glutathione levels in microspores of, 398
 role of sulfhydryl proteins in development of microspores, 401-405
 role of soluble sulfhydryl compounds in development of, 394-397
 Anthral sap, 394, 395
 soluble thiols in, 395
 Apoferritin, 189
 ferritin and, 193
 role in *in vivo* binding of iron, 193
 Arginylpeptides
 synthetic, as anticoagulants, 110
 Ascorbic acid
 mitosis and, 401

B

- Bacteriophage
 T₂, *see* T₂ bacteriophage
 Beryllium
 inhibition of β -galactosidase by, 235, 236, 238
 Blastomeres
 extracellular cement of, protein nature of, 382
 Blood clot
 stabilization, possible mechanism of, 434
 physiological aspects, 434-435
 sulfhydryl reagents and formation of insoluble, 119

- Blood plasma
 clotting of, 109-122, see also Fibrin, Fibrinogen Thrombin, etc.
 effect of Ca in, 388
 role of sulfhydryl and disulfide groups in, 434-435
- Bohr effect, 174, 182
 groups responsible for, 436
- Bone marrow
 removal of plasma iron by, 196
- Bunte salts, 11
- C**
- Calcium
 as activator of FSF, 112
 role in blood clotting, 388
 stabilizing action on mitotic apparatus, 388
- Candida albicans*
 cell division in, 409
 glucose and, 409-410
 sulfhydryl compounds and, 409-410
 cell walls of, pseudokeratinous glucomannans in, 413, 414
 sulfur in, 413
 divisionless mutant of, 414
 effect of reductive reduction on, 414-415
 growth in sulfur-deficient medium, 416-417, 422
 mitochondrial particulates
 protein disulfide reductase in, 415
- Casein
 cystine linkage in, 26
- Cell division, see *Mitosis*
- Cells
 embryonic, of pea
 distribution of sulfhydryl proteins in, 393-394
 synthetic activity of, differences in, 408
- Ceruloplasmin, 127
 amperometric titration, 133
- p*-Chloromercuribenzoate
 complex with ferritin SH groups, dissociation of, 196
 effect of xanthine oxidase on, 196
 effect on binding of PP to myosin and heavy meromyosin, 304
 on tobacco mosaic virus, 340, 345
 inhibition of β -galactosidase by, 235, 237
 interaction with sulfhydryl groups, 155, 157, 163-165, 172, 248-249, 250-251, 262
 of ferritin, 192
 measurement of, 247-253
- Chromosomes, sulfur in, 393
- Chymotrypsin
 cystine linkage in, 26
 reduction of disulfide bonds of ribonuclease with, 281, 283
- Coenzymes
 role of SH in binding of, 200
- Copper
 bonding to protein in hemocyanin, 128
 interaction with blood albumin, 9, 13-14, 439
 absorption spectrum of cupric complex, 439
 reaction with insulin, 19
- Cotton
 thiolation of aminated, 22, 24
- Cupric ammonium sulfite
 reaction with protein thiols and disulfides, 7-8
- Cyanide
 cleavage of disulfide bonds with, 5
- S*-Cyanocysteinyl proteins
 formation, 5 ff
 reactions of, 11-12
- Cysteic acid
 chromatography of, 159, 161
 optical rotation, 27, 28
- Cysteine
 in muscle proteins, 291, 292
 optical rotation, 429, 431
 Raman spectrum, 431
 reaction with myosin, 323
 as stabilizer of fibrin stabilizing factor, 112, 115, 116
 in tail proteins of T₂ bacteriophage, 349
 in tobacco mosaic protein, 339
- Cystine
 conversion to *S*-sulfocysteine, 7-9
 effect of catalysts on, 8-9
 dibenzoyl, gelling properties, 29
 disulfide bonds of, configuration, 31

- linkage in proteins, 25-27
 in muscle proteins, 292 ff.
 optical rotation, 27, 28, 429, 431
 configuration and, 28, 29
 effect of urea on, 31
 temperature coefficient of, 29-30
 reaction with myosin, 323
 with silver nitrate, 6
 role in cross-linking of globular proteins, 93
 wool, subfractions of, 36-43
 varying reactivity of, 33-49
- Cystine reductase, 410
- Cytochrome c, 127
 action of urea on, 150
 active center, 142
 amino acid sequences in, 142 ff.
 species differences in, 147-148
 heme-protein bonding in, 128
 hemochromogen nature of, 146
 structural aspects, 146
 iron-histidine linkage in, 437
 number of sulfur atoms in, 141
 peptides isolated from, 142-146
 by acid hydrolysis, 142-143
 by enzymatic degradation, 143-146, 147
 amino acid sequence in, 147
 structure and properties of, 144-146
 stability of, 141
 heme group and, 150
 structure of, 142-143, 145, 146, 147
 constancy of, 147
 thioether bridges in, 141-142, 145, 148
 linkage to heme group, 437
- Cytochrome ff
 thioether bridges in, 148
- Cytochrome(s)
 electron transfer between, 150
- Cytoplasm
 viscosity changes in, 109
- D**
- dATP, *see* Deoxyadenosine triphosphate
 DNA, *see* Deoxyribonucleic acid
 DSSD, *see* 2,2'-(2-hydroxy-6-sulfonaphthyl-1-azo) diphenyl sulfide
 DTDG, *see* Dithiodiglycol
- Dehydrogenases, *see* also individual compounds
 zinc in, 349
- Deoxyadenosine triphosphate
 in tail proteins of in T₂ bacteriophage, 348, 357-359
- Deoxyribonucleic acid
 introduction into *E. coli* by T₂ bacteriophage, 347
- N-N'*-Diethylaminoethylcellulose (EK 7392)
 use in fractionation of wool proteins, 52-53
- 2,4-Dinitro-1-fluorobenzene
 marking of amino groups with, 3
- Diphosphopyridine nucleotide
 binding by yeast alcohol dehydrogenase, 218, 220-225
 effect on sulfhydryl groups of yeast alcohol dehydrogenase, 253-254
- Disulfide bonds
 effect of salt solutions on, 70
 in proteins, chemical modification of, 3-14
 cleavage of, 4-5
 with cyanide, 5
 as stable cross links, 15
 reduction by thiols, 4
 intermolecular, as cross-linkages in plasma clot, 119
 formation in denaturation of plasma albumin, 76
 intrachain, of insulin, activity and, 279-280
 of ribonuclease, location of, 280
 role in optical rotation of proteins, 429
 in supercontraction of keratin fibers, 60
 of wool, difference in chemical reactivity of, 33 ff.
- Disulfide gelatins
 gelling of, 21, 22, 23
 preparation of intermolecular, 21-22
 of intramolecular, 20-21
- Disulfide groups
 of mitotic apparatus, stabilizing function, 369-371, 373-375
 role in blood, clotting, 434-435
 in enzymic catalysis, 203

- Disulfide reductases, 410, *see also* individual compounds
- Disulfides
 reaction with actomyosin, 324
 with mercurials, 6
 with myosin, 323-324
- Dithiodiglycol
 stabilizing action on mitotic apparatus, 373-374, 388
 mechanism of, 374-375, 388
- Dithioglycolic acid
 reaction with myosin, 323
- E**
- EDTA, *see* Ethylenediamine tetraacetic acid
- Edestin
 cystine linkage in, 26
 optical rotation, 27
 effect of cleavage of disulfide bonds on, 27
- Eggs
 marine invertebrate, glutathione in dividing, 375, 406-407
 isolation of mitotic apparatus from, 369, 373
 transparent, 54
- Electron transfer, 150-151
 between cytochromes, 150
- Enzyme(s)
 active sites, requirements for, 246
 sulfhydryl groups as, 246
 activity, groups essential for, 216
 role of disulfide groups, 203
 of sufhdryl groups, 199-203, 216
 Michaelis-Menten theory, 215
 cytokinetic, 415
 geometry of substrate and of, 215, 239
 inhibition by sulfhydryl reagents, 199, 246
 possible mechanisms, 200-203
 reversibility, mechanism of, 246
 phosphoryl-transferring, 332-333
 proteolytic, degradation of reduced RNase with, 281 ff., 283
 in *S. fradiae*, 56, 57
 sulfhydryl, *see* Sulfhydryl enzymes and individual compounds
- Epidermis
 keratinization in, 109
Escherichia coli
 β -galactosidase in, 229-230
- Ethylene oxide vapors
 sterilization of keratinaceous substances by, 55
- Ethylenediamine tetraacetic acid
 effect on invasion of host by T₂ bacteriophage, 355, 357
 ions and, 357
 effect on mitotic apparatus, 389
 on myosin, 355, 357
 ions and, 357
- F**
- FAD, *see* Flavine adenosine nucleotide
- FSF, *see* Fibrin-stabilizing factor
- Ferritin, 127
 biological activity, 191 ff.
 role of iron and sulfhydryl groups in, 191-193
 bonding of iron to protein in, 128
 dog, cystine linkage in, 26
 homogeneity, 189-190
 iron of, 189 ff.
 biological reduction of, 193-196
 as means of release to plasma, 196
 by xanthine oxidase, mechanism of, 194-196
 location within protein molecule, 190
 relationship of total and ferrous, 190-191
 to sulfhydryl groups, 189-196
 physicochemical properties, 189
 reaction with PCMB, 127
 sulfhydryl groups in, 191-193
 determination of, 192
- Fibers, *see also* individual fibers
 effect of chemical agents on, measurement of, 59
- Fibrin
 as intermediate in fibrinogen degradation by thrombin, 110
- Fibrin clot
 difference between plasma clot and, 111-112
 formation, 110-111

- Fibrin monomer
 aggregation, 109, 122
 copolymerization, mechanism of, 118-122, 124
 formation, 111
- Fibrin-stabilizing factor
 of plasma, 111-122
 biological activity, 112, 124
 assay of, 112-113
 specificity of, 119
 sulfhydryl groups and, 116, 119
 effect on fibrin clot, 117-122
 electrophoretic properties of, 114
 preparation, 435
 purification, 113-114
 sedimentation, 114-115, 116
 cysteine and, 115, 116, 122
 stability of, 112
 sulfhydryl groups of, 115-117
 biological activity and, 116, 119
- Fibrinogen
 copolymerization of FSF and—in plasma, 118-122
 role of calcium in, 122
 cystine linkage in, 26
 enzymatic conversion to fibrin, mechanism of, 109-110
 reaction with thrombin, 109-111
 limited proteolysis in, 111
- Fibrinopeptide (Lorand's), 110
 composition, 110
 formation, 110
 mechanism of, 110-111
- Flavine adenine dinucleotide (FAD)
 role in xanthine oxidase activity, 194, 195
- G**
- GADH, *see* Glyceraldehyde-3-phosphate dehydrogenase
- β -Galactosidase, 227-240
 activators of, 235, 236
 activity, 232 ff.
 effect of cations on, 235-239
 pH and, 234-235
 possible mode of, 239-240
 specificity of, 232-234
 of calf intestine, 229
 purification, 230-231
- complex with substrate, possible structure of, 239-240
 of *E. coli*, amino acids in, 229
 crystal structure, 229
 homogeneity, 229
 purification, 227-228
 ultraviolet spectrum, 229, 230
 inhibitors of, 235, 236
 occurrence, 229
 substrate, structural requirements for, 233
 as sulfur enzyme, 235
 evidence for, 238
- Gelatin
 modified, 428-429, *see also* Gelatin, thiolated
 possible use as blood plasma expander, 429
 thiolated, 54
 properties, 18-20, 22-23
- Globin
 effect of mersalyl on, 175
- γ -Globulin
 bovine, cystine linkage in, 26
 optical rotation, 27
 effect of cleavage of disulfide bonds on, 27
- Glucan-protein
 isolation from cell wall of baker's yeast, 413
- Glucomannan proteins
 of yeast cell walls, 410 ff.
 enzymatic activity, 423, 424
 enzymatic reduction of disulfide bonds in, 413-414
 isolation of glucomannan-protein-II, 413
 properties of glucomannan protein-I, 412
 pseudokeratinous, 414 ff., *see also* individual compounds
- Glucomannan-pseudokeratin
 in yeast cell wall, 414, 415
 enzymatic reduction of disulfide bonds in, 415
 sulfur content of, 421
- Glutamic acid
 in bovine fibrinopeptide, 110
- Glutathione
 enzymatic assay of, 407

- in nuclei, 393
 oxidized, determination, 406
 protein thiol bonding and, 397
 Raman spectrum, 431
 role in cell division, 375-376, 391-392,
 397-401, 406, *see also* Mitosis,
 sulfhydryl theory of
 association with nuclear phase of,
 397
 as component of mitotic apparatus,
 401
 effect on pre-mitotic metabolism, 401
 formation from oxidized form, 406
 Glutathione reductase, 410
 Glyceraldehyde-3-phosphate dehydrogen-
 ase
 absorption spectrum, 201
 catalytic activity
 assay of, 203
 effect of urea on, 204, 205
 substrate and, 206
 inhibition by *p*-chloromercuriben-
 zoate, 203
 molecular weight, 203
 as sulfhydryl protein, 200, 203, 427, 428
 reaction of sulfhydryl groups with
 PCBM, effect of urea on, 206,
 207
 Glycolysis
 mitosis and, 397-401, 405
 Glycosides
 enzymatic hydrolysis mechanism of,
 240
- ## H
- Hair**
 acetylation, 61
 esterification, 61
 supercontraction by lithium bromide,
 60-69
 effect of acid and alkali on, 63, 64,
 65, 67-68
 of chemical modification on, 64-65
 irreversible, 65
 reversibility of, 65, 68
 restoration of properties and, 65-63
 waving of, setting reactions in, 59
Helix structures
 optical rotation of, 429-430
- Hematohemin**
 as pigment of cytochrome *c*, 142
Hemerythrin, 127
 bonding of iron to protein in, 128-131,
 139-140
 displacement of iron from, 129 ff.
 occurrence, 128
Hemes
 interaction of
 effect of mercurials on, 437
 role of sulfur in, 134 ff.
Hemocyanin, 127
 amperometric titration with Ag and
 Hg, 131-133
 bonding of copper to metal in, 128,
 131-133
 stability, 133
Hemoglobin(s), 127
 action of trypsin on, 149-150
 animal, cystine/cysteine content of,
 168-170
 of cow, 168, 169, 170
 of rabbit, 169, 170
 of sheep, 168, 169, 170
 bonding of sulfur to protein in, 133
 cysteine-cystine content of
 determination, 154-157, 159-165
 fractionation, 158-159
 hemes of, combination with oxygen,
 173
 interaction of, 174, 175, 177, 178,
 179, 182
 homogeneity, 158
 horse, molecular structure, 185
 human
 cystine/cysteine content of, 153-168
 data obtained for different, 165-
 168
 difference between adult and fetal,
 165, 166, 167
 iron of, imidazole group and, 441
 lattice structure of bound water in, 184
 molecular weights, 153
 oxygen affinity of, effect of sulfhydryl
 groups on, 435-436
 oxygen equilibria, effect of mercurials
 on, 134
 oxygenation
 effect of hydrostatic pressure in, 138
 of mercurials on, 176-178

- on molecular structure, 173
 - of silver ions, 179-180
 - groups participating in, 174
 - role of sulfhydryl groups in, 175-179
 - purification, 157-159
 - sickle-cell, sickling of, 136
 - in solution, determination of concentration, 159, 160
 - structure of water surrounding molecules of, 435
 - sulfhydryl groups of, 182-183, 436-438
 - Bohr effect and, 441
 - location of, 436, 437
 - oxidation, pH and, 183-184
 - synthesis, removal of plasma iron by bone marrow for, 196
 - titration with mercuric chloride, 182
 - of vertebrate blood
 - relation between oxygen affinity and heme-heme interaction in, 186-187
 - Hemopeptide
 - isolated from cytochrome c, 128, 143-146
 - oxidase activity, 149
 - structure of, 128
 - Hemoproteins, *see also* individual compounds
 - interaction between hemes in, 134
 - structural aspects of, 134-136
 - iron-sulfur bond in, 127-132, 139, 140
 - lattice structure of the hydration water in, 134-136, 138-139
 - effect of mercurials and, 135, 138
 - separation of prosthetic group from, 141
 - Histidine
 - role in cytochrome c, 145-146
 - Homocysteine thiolactone(s), 16
 - reaction with amino groups, 16 ff., 23
 - possible mechanism of, 24
 - specificity of, 18, 24
 - Homocystine
 - dibenzoyl, gelling properties, 29
 - optical rotation, configuration and, 28
 - Hydrocarbons
 - in aqueous medium, orientation of water about, 435
 - 2,2'-(2-Hydroxy-6-sulfonaphthyl-1-azo) diphenyl disulfide
 - reaction with FSF, 116-117, 124
- I
- Insulin
 - activity, intrachain disulfide bond and, 279-280
 - amperometric titration, 10
 - cross-linking in, 102
 - cystine linkage in, 26
 - disulfide bonds of, 427
 - action of trypsin and, 288
 - effect of strong salt solutions on, 70
 - interchain structural importance, 430
 - intrachain, activity and 279-280
 - optical rotation and, 27
 - isomers of, relative probabilities of, 97, 104
 - optical rotation, 27
 - effect of cleavage of disulfide bonds on, 27
 - reaction with sulfite, 9, 10
 - structure, 104
 - model of, 345
 - Iodine
 - reaction with proteins, 346
 - with tobacco mosaic virus, 339-340, 345, 346
 - Iodoacetamide
 - reaction with actomyosin, 327
 - with serum albumin, 76, 80, 81, 88, 90
 - Iron
 - bonding to metal in hemerythrin and ferritin, 128
 - in cytochrome c, 142
 - electron transfer to and from, 150
 - in ferritin
 - biological reduction of, 193-196
 - reaction mechanism, 194-196
 - reactivity of, 190
 - relation to sulfhydryl groups, 189-196
 - removal of, 189
 - role in xanthine oxidase activity, 194

K

- Keratin(s)
 decomposition by microorganisms, 55-57
 as disulfide proteins, 427
 fibers, *see also* Hair, Wool
 supercontraction, by lithium bromide, 59-71
 mechanism of, 66-69
 structural stability, role of disulfide bonds in, 60
 soluble, preparation, 4
 wool, solubility, 51
Kinetochores, 368

L

- Lactalbumin
 cystine linkage in, 26
Lactic dehydrogenase
 inhibition by sulfhydryl reagents, 246
 sulfhydryl groups in, reactivity of, 428
 β -Lactoglobulin
 cystine linkage in, 26
Lanthionine
 formation, 5, 12
 oxidation, 4
Lipase
 wheat germ, inhibition by SH reagents, 202
Lithium bromide
 effect on globular proteins, 71
 supercontraction of keratin fibers by, 59-71
 mechanism of, 60-69
Liver
 reduction of ferritin iron by, 193-196
Lysine
 reaction with AHTL, 17
Lysozyme
 activity, reduction and, 279
 as disulfide protein, 427

M

- MA, *see* Mitotic apparatus
MMN, *see* Methyl mercuric nitrate
Macroglobulins
 myeloma, disaggregation, 115
 possible origin of, 115

- Magnesium
 role in microbial digestion of wool, 56
Maleimide, *N*-substituted
 reaction with sulfhydryl proteins, 148-149
Mercaptalbumin
 formation, effect of silver on, 440
 role of structural water in, 439
 reaction with mercury, 432-433
 sulfhydryl groups of, 75, 91-92
Mercaptides
 difference in stability of silver- and mercury-sulfur bonds, 440
Mercaptoethanol
 blockage of cell division by, 377-382
 twinning action, mechanism of, 383-386
Mercurials, *see also* individual compounds
 effect on heme-heme interactions, 437
 on oxygenation of hemoglobin, 134, 175-180, 182-183, 184, 185
 organic, solubilization of isolated mitotic apparatus by, 369-371, 388
 reaction of tobacco mosaic virus with, 340-341
Mercuric chloride
 titration of hemoglobin with, 182
Mercury
 reaction with disulfides, 6
 with mercaptalbumin, 432-433
Meromyosin(s), 292
 α -helical configuration of, 291, 293
 binding of inorganic pyrophosphate to, 301-302
 light, effect of urea on SH groups of, 293
 preparation, 294, 298
 SH groups of, 292, 293
Mersalyl
 effect on globin, 175, 180-181
 on oxygen equilibrium of horse hemoglobin, 176
Metal proteins, *see also* individual compounds
 bonding of metal to protein in, 127-133, 136

- mercaptan or mercaptide linkage,
 128-133, 136
 by thioether bridge, 127-128, 136
 oxygen-carrying, 127, *see* also individual
 compounds
 role of sulfur in, 127-140
- Metals**
 heavy, inhibition of β -galactosidase
 by, 235, 236, 237, 241
 of yeast alcohol dehydrogenase by,
 217, 218
- Methionine**
 function in proteins, 427
- Methyl mercuric nitrate**
 reaction with TMV, 340, 343
- Microorganisms, *see* also individual microorganisms**
 decomposition of keratin by, 55-57
- Microspores**
 of lily anthers, glutathione levels in,
 398
 role of sulfhydryl proteins in development of,
 401-405
- Mitosis**
 ascorbic acid and, 401
 blockage by mercaptoethanol, 377-382
 cyclic changes in soluble sulfhydryl
 compounds during, 394 ff., 409
 energy store for, 398
 glycolysis and, 397-401, 405
 multiple functions of sulfur in, 391-408
 sulfhydryl theory of, 367, 375, 391-392,
 397-405, 409
 validity of, 397, 405
 in yeasts, role of protein disulfide reductase in,
 409-424
- Mitotic apparatus**
 disulfide groups of, 369-371, 373-375,
 387
 formation of intermolecular, 375, 376,
 377
 effect of EDTA on, 389
 formation, role of protein thiols in, 401
 isolation of, 368-375
 from living cells, 371-375
 protein component, 370-371
 fate of sulfur-containing—during
 mitosis, 387
 protein-to-protein links in, nature of
 bonds, 387
- stability of, 368-371
 stabilization, 369 ff.
 by calcium, 388
 role of disulfide bonds in, 369-371,
 373-375, 387
 structure, 368
 effect of mercaptoethanol on, 382
 role of protein-S in, 373, 375, 377,
 381
 sulfhydryl groups of, 367-388
 role in function of, 377-388
 in structure of, 367-376
- Mitotic hormone, 392**
- Mitotic spindle**
 formation of, 109
 role of thiols in, 397
- Molluses**
 paramyosin in muscles of, 291
- Molybdenum**
 role in xanthine oxidase activity, 194
- Muscle**
 contraction of, mechanism, 317-318,
 319, 336
 possible transformation of G- to F-
 actin in, 329-332
 ATPase activity of myosin and,
 332-333
 fibrils, composition, 318
- Myokinase**
 cysteine as stabilizer of, 112
- Myosin, 291**
 active centers of, 318, 327-329
 SH groups and, 318, 335-336
 actomyosin formation from
 inhibition by sulfhydryl reagents,
 327
 adenosinetriphosphatase activity of,
 332
 actomyosin formation and, 318
 connection between G \rightarrow F trans-
 formation of actin in muscle
 contraction and, 332-333
 effect of inorganic pyrophosphate on,
 298
 of ions on, 303
 of sulfhydryl reagents on, 318 ff.
 inhibition by sulfhydryl reagents,
 318, 327
 mechanism of, 332-333
 sulfhydryl groups and, 297-315

- adenosinetriphosphate and, 297-298
 binding of inorganic pyrophosphate to, 301, 302
 effect of ions on, 303
 of sulfhydryl reagents on, 304, 305
 components, α -helical configuration of, 291, 292, 293
 effect of EDTA on, 355
 interaction with actin and with phosphate compounds, role of sulfhydryl groups in, 297-315
 preparation, 294, 298
 properties, effect of sulfhydryl reagents on, 319 ff.
 sulfhydryl groups of, 318-329
 function of, 318
 difference in, 318-319, 327
 molecular distribution, 292-293
 role in interaction with ATP and actin, 318-319
 sulfur in, 427, *see also* Myosin, sulfhydryl groups of
- N**
- Nuclei
 sulfur in, 393
 Nucleic acid
 simultaneous aggregation of tobacco mosaic virus protein and, 342
 Nucleosides
 effect on PP binding by myosin, 305-306
 Nylon
 supercontraction of, 70
- O**
- Optical rotation
 of helix structures, 429-430
 of peptides, 30
 of proteins, 27-29, 429, 441, *see also* individual compounds
 Ovalbumin
 cystine linkage in, 26
 optical rotation, 27
 effect of cleavage of disulfide bonds on, 27
 sulfur in, 427
- Ovovitellin
 cystine linkage in, 26
 Oxarsan (*m*-amino-*p*-oxyphenyl-AsIII-oxide)
 reaction with actomyosin, 319 ff., 322
 with myosin, 319-323
 factors affecting, 320-322
 mechanism of, 323
 Oxytocin
 cystine linkage in, 26
 Oxygenation
 of hemoglobin, *see* Hemoglobin, oxygenation
 Oxyhemoglobin, *see also* Hemoglobin, oxygenation
 reduction of, 174
- P**
- PCMB, *see p*-Chloromercuribenzoate
 PDS reductase, *see* Protein disulfide reductase
 Papain
 sulfhydryl protein nature of, 427
 Paramyosin, 291
 preparation, 294-295
 Pepsin
 cystine linkage in, 26
 degradation of cytochrome *c* by, 143-144, 147
 optical rotation, 27
 effect of cleavage of disulfide bonds on, 27
 Peptide B
 formation in blood clotting, 110
 Peptides
 chemical modification of thiol and disulfide groups in, 3-14
 formed in blood clotting, 110 ff.
 microbial digestion of wool, 55, 57
 isolated from cytochrome *c*, 142-146
 structure and properties of, 143-146
 isolated from reduced ribonuclease, 281, 287
 amino acid composition, 284
 assay of, 281-282, 285
 chromatographic separation, 283, 286
 optical rotation, 30
 Peracids
 oxidation of sulfhydryl and disulfide groups with, 3-4

- Phosphate, as electron transfer ion, 150
- Phosphate compounds, *see also* individual compounds
 interaction with myosin
 role of SH groups, 297-315
- Phosphorylase
 reaction with *p*-chloromercuribenzoate, 81, 202
 sulfhydryl protein nature of, 427
- Phosphorylase a
 of muscle, inhibition by sulfhydryl reagents, 246
- Plasma
 blood, *see* Blood plasma
 release of ferritin iron to, mechanism of, 193, 194
- Polypeptides
 cystine-containing, randomly coiled
 methods of calculating probabilities, 94-96
 relative probabilities of isomers in cystine-containing, 93-108
 statistical theory, 94 ff., 104
- Polysaccharide protein components, *see also* individual compounds
 in yeast cell walls, 410-413
 isolation of, 412-413
- Porphyrin c
 isolation from cytochrome c, 141
 structure of, 141-142
- Protein disulfide reductase, 410
 in divisionless mutant of *C. albicans*, 421
 function in cellular division of yeasts, 409-424
 in mitochondrial particulates of *C. albicans*, 415
 specificity of, 424
- Proteins, *see also* individual compounds
 cross-linking, by introduction of intermolecular disulfide bonds, 23
 cystine/cysteine content
 determination by oxidation methods, 154, 159, 171-172
 cystine linkage in, 25-27
 disulfide bonds in, 25-31, 427
 chemical modifications, 3-14
 cleavage of, 4-5, 25-26, 279 ff.
 effect on enzymatic activity, 279
 on molecular structure, 28-29
 on optical rotation, 27-29
 nature of, 25-27
 oxidation with peracids, 3-4
 fibers, biogenesis of, 109
 globular, containing *N*-cystine cross-linkages, 93
 effect of LiBr on, 71
 introduction of *S*-sulfocysteinyl residues into, 5, 6, 7
 metal, *see* Metal proteins and individual compounds
 of mitotic apparatus, 370-371
 α class of muscle, 291-295, *see also* individual compounds
 cysteine and cystine content of, 292-295
 disulfide cross-linkages in, nitroprusside test for, 293
 stability of helical configuration and, 293-294
 helical configuration of, 291
 disulfide linkages and, 293-294
 stability of, 291
 preparation, 294-295
 optical rotation, 27-29
 effect of cleavage of disulfide bonds on, 27, 28, 429
 effect of oxidation on, 441
 structural aspects of, 28
 reaction with mercury, 439
 with zinc, 349
 sulfur atoms as possible binding sites, 349
 reduction, effect on biological activity, 279
 renaturation by high pressure, 140
 structural, *see also* individual compounds
 sulfhydryl groups of, 317
 structure, effect of various solvents on, 430-431
 structure of peptide chain, 429
 effect of breaking of disulfide bonds on, 429
 structure of water surrounding molecules of, 435, 438-440
 sulfhydryl, 427, *see also* individual compounds

- sulfhydryl groups of, 427
 chemical modifications, 3-14
 determination, 155, 157
 spectrophotometric, 163-165
 titration methods for, 156, 162-163
 masked, 339 ff.
 transfer to derivatives, 340
 oxidation with peracids, 3-4
 reactive, demonstration of, 246
 in tail of T₂ bacteriophage, 348-360
 thiolating of, 15-23
 with *N*-acetylhomocysteine thiolactone, 16-18
 wool, sulfur content of, 51-54
 Pyrophosphate, inorganic, actomyosin and, 298
 binding to meromyosins, 301-302
 to myosin, 301
 preparation of isotopic, 299
- R**
- R Nase, see Ribonuclease
 Rennin
 cystine linkage in, 26
 Ribonuclease
 activity, reduction and, 286
 amino acid sequence of, 280
 cross-linking in, 101
 cystine linkage in, 26
 disulfide bonds of
 assay for, 281-287
 reduction of, 279-288
 stability of, 287
 isomers of, probabilities of, 102
 partial reduction of, 280
 reduced, carboxymethylation of, 281
 heterogeneity of, 280
 structure, effect of various solvents on, 430
 in tobacco mosaic virus, 339
Rhodospirillum rubrum
 cytochrome-like pigment in, 148
- S**
- Salyrgan
 effect on binding of inorganic pyrophosphate by myosin, 304
 reaction with actin, 329-331
 with actomyosin, 325, 326-327
 with myosin, 325-327
 Sand dollar (*Dendraster excentricus*)
 cell division, blockage by mercaptoethanol, 378-379
 eggs, production of twin embryos from, 383-386
 Sea urchin
 eggs of, blockage of division by mercaptoethanol, 377-378, 381
 fate of glutathione in dividing, 375-376
 Selenium
 incorporation into proteins of yeast cell walls, 422
 Silver
 amperometric titration with, see Amperometric titration, argentometric
 effect on hemoglobin oxygenation, 175, 179-180, 181
 inhibition of β -galactosidase by, 238
 reaction with disulfides, 6
 with sulfhydryl groups, 247 ff.
 of yeast alcohol dehydrogenase, 248-252
 measurement of, 247
 role in reaction of thiolactones with amino groups, 16 ff., 24
Streptomyces fradiae
 digestion of keratin by, 55-57
 decomposition products, 55-56
 mechanism of, 56-57
 Sulfenic acids, 346
 Sulfenyl iodides, 345-346
 of tobacco mosaic virus, 339-340, 345
 Sulfhydryl compounds
 in anthral sap, 394, 395
 formed during digestion of wool by *Streptomyces fradiae*, 55, 56
 intracellular distribution, 392-394
 data derived from cell fractionation studies, 393-394
 from histochemical studies, 393
 reactivity of, hydrogen bonding and, 341
 role in development of anthers, 396-401
 soluble, role in mitotic cycle, 375, 394-395

- Sulfhydryl enzymes, *see* also individual compounds
 nature of, 245-246
- Sulfhydryl groups
 of actomyosin, 317
 of bovine plasma albumin
 chemical properties, 75-92
 effect of urea on, 83
 nature of, 80-83, 88, 91
 reaction with silver, 91
 with sulfhydryl reagents, 76
 effect on oxygen affinity of hemoglobin, 436
 of enzymes, 427
 as active sites, 245-246, 263
 criteria for, 246
 as aid in maintaining tertiary structure, 201
 measurement of, 247 ff
 repeatability, 245
 reproducibility, 245
 reactions causing structural changes, 202
 role in catalytic activity, 199-203
 as acyl acceptors, 200
 by cofactor binding, 200-201
 by participation in oxidation-reduction reactions, 201
 as phosphoryl acceptor, 201
 by substrate binding, 201
 in ferritin, 191-193
 relation of iron to, 189-196
 of fibrin-stabilizing factor, 115-117, 122
 biological activity and, 116, 119, 122
 of horse liver alcohol dehydrogenase, 225
 infrared characteristics, 431
 introduction into proteins, *see* Proteins, thiolating of
 masked, of proteins, 399 ff.
 transfer to derivatives, 340
 of mitotic apparatus, 367-388
 role in function of, 377-389
 in structure of, 367-376
 in proteins and peptides
 chemical modification of, 3-14
 determination of, 152-163
 spectrophotometric procedures, 155, 157, 163-165
 titration methods for, 156, 162-163
 function of, 428
 of muscle proteins, 291 ff
 determination, 291-292, 294
 reactivity, 15
 role in blood clotting, 434-435
 in Bohr effect, 436
 in interaction of ATP and myosin, 298
 in interaction of myosin with actin and with phosphate compounds, 297-315
 in muscular contraction, 317, 318, 319
 in oxygenation of hemoglobin, 175-178
 in protein structure, 81
 in reactions of actomyosin, 297
 in T₂ phage tail protein
 role in host invasion, 353
 tobacco mosaic virus
 number of, 344
 reactivity of, 344-345
 role in viral architecture, 341-343, 344
 of yeast alcohol dehydrogenase, 216-225
 activity and, 216-217
 number of free, 217
- Sulfhydryl reagents
 effect on PP binding by myosin, 298
 on yeast alcohol dehydrogenase, 258-262
- Sulfhydryl theory
 of cell division, 367, 375, 391-392, 397-405, 409
 validity of, 397, 405
- Sulfite
 cleavage of disulfide bonds with, 4-5
- S-Sulfocysteine
 preparation, 7, 8
 reaction with cyanide, 11
- S-Sulfocysteinyl proteins
 preparation, 6
 reactions of, 11-12
- Sulfur, *see* also Disulfide groups, Sulfhydryl groups
 bonding to metal in cytochrome c, 128
 electron transfer and, 150
 in enzymes, 190-288
 in iron and copper proteins, 127-196

- mitosis and, 367-424
 protein reactions involving, 3-71
 in proteins, of muscle, 291-336
 of serum, 75-124
 role in cytochrome c, 141-151
 in metal-proteins, 127-140
 direct, linkage to active site, 128 ff.,
 136
 indirect, by configurational
 changes, 134-136
 role in mitotic apparatus, 373, 375, 377
 in twinning, 382-386
 utilization by yeasts, 416-417
 in viruses, 339-364
 in wool proteins, 51-54
- T**
- T₂ bacteriophage
 adenosinetriphosphate in, 357-359
 relaxation of contractile protein by,
 359-360
 invasion of host cell
 mechanism of, 347, 363
 role of contractile tail protein, 357,
 361, 363
 of sulfhydryl bonds in, 353
 structure of, 347-348
 tail of, 347
 chemical bonds in, 348-353
 virus structure and, 348
 fibers of, 355
 function, 348
 removal, 348
 interaction with host cell wall, 347,
 348, 353, 356 ff
 proteins of, 348
 contractile, 348, 353-361
 actomyosin and, 353, 355, 363
 ATP and, 358-360
 length of, 360
 role in host invasion, 361
 cysteine in, 349
 nature of, 348
 structure of
 effect of zinc group metals on,
 348-349
 reagents affecting, 350
 sulfur linkages in, 349-353, 363
- Tellurium
 incorporation into proteins of yeast cell
 walls, 422
- Thioglycolide
 as thiolating agent, 24
- Thiol, *see* Sulfhydryl
- Thiolactones, *see* also individual com-
 pounds
 four-membered, 440-441
 preparation, 440
 introduction of sulfhydryl groups into
 proteins with, 15-18
- Thiolester bonds
 in cellular compounds, 349
 in T₂ bacteriophage, 349 ff, 363
- Thiophenol
 infrared spectra, effect of various sol-
 vents on, 440
- Thrombin
 enzymatic activity, 109, 110
 reaction with fibrinogen, 109-111
- Tobacco mosaic virus (TMV) composi-
 tion, 339
 degradation to A-protein, 341, 343
 protein of, *see* A-protein of tobacco
 mosaic virus
 reaction with heavy metal derivatives,
 340-341
 with iodine, 339-340, 345, 346
 reconstitution with MMN-protein, 343
 sulfhydryl groups of
 role in A-protein bonding, 341
- Triosephosphate dehydrogenase
 action on thiolester bonds, 349
 in *E. coli*, 349
 zinc in, 349
- Tropomyosin, 291
 α -helical configuration, 292-293
 cysteine and cystine content of, 292-
 293
 cystine content, 293
 molecular weight, 293
- Trypsin
 action on cytochrome c, 144-145, 147,
 150
 on hemoglobin, 149-150
 activity, reduction and, 279
 specificity of, 145, 283
 cystine linkage in, 26

Twinning

- mechanism of, 383-386
- role of protein sulfur in, 382-386

U

Urea

- action on cytochrome c, 150
- effect on plasma albumin, 83, 88, 89
- on sulfhydryl groups, 91

Urease

- as sulfhydryl enzyme, 427
- inhibition by sulfhydryl reagents, 246

V

Vasopressin

- cystine linkage in, 26

Viruses, see also Tobacco mosaic virus

- structure, role of SH-bonding in, 341-343

W

Water

- heavy, effect on inhibition of β -galactosidase by Be and Ag, 238, 239, 241

Wool

- alkali-combining capacity, determination of, 71
- chemical modification of, 46
- cystine, fractions of, 33-49
 - A + B fraction, 35
 - C + D fraction, 43-47
- varying reactivity of, 33-49
 - structural aspects of, 42, 43, 44-47
- disulfide bonds, difference in chemical reactivity, 33
- proteins of, differences in sulfur content of—in root and fiber, 53-54
 - of high sulfur content, 51
 - fractionation, 52-53
 - physicochemical properties, 51-52
 - of low sulfur content, 51, 53-54
 - physicochemical properties, 51
 - solubilization, 51
- reaction with bisulfite, 33-35
- reduction, 4
- setting, 5
- sterilization by ethylene oxide vapors, 55

supercontraction, 5

water uptake by, 48

Worms

sipunculid, hemerythrin in, 128

X

Xanthine oxidase

- activity, effect of substrate concentration on, 194 ff.
- sites essential for, 194
- components involved in electron or hydrogen transfer, 194, 195
- reduction of ferritin iron by, 193-194
- mechanism of, 194-196

Y

Yeast alcohol dehydrogenase

- active sites of, 218, 220-225
- configuration, 223
- number of, 218, 219-223, 242
- zinc in, 255, 263
- activity
 - correlation of sulfhydryl groups and, 253-262
 - effect of sulfhydryl reagents on, 258 ff
 - of urea on, 257-258
 - of zinc-binding agents on, 254-257
 - mechanism of, 224
 - sulfhydryl groups and, 216-217
- amino acid composition of, 220
- determination of S in, 219
- difference between—from baker's and brewer's yeast, 428
- inhibition by heavy metal ions, 217, 218, 241
- molecular weight, 219
- number of essential zinc atoms in, 428
- sulfhydryl groups of, 252 ff., 262, 427-428
 - correlation of activity and, 216-217, 253-262
- determination of, 247-253
 - by interaction with sulfhydryl reagents, 248 ff.
 - differences in results obtained, 251
- effect of DPN on, 253-254
 - of ethanol on, 253-254
 - of urea on titrable, 257-258

- number of free, 217-218
 - effect of substrate on, 218
 - zinc in, 221-225, 242, 255, 263, 428
 - Yeasts
 - cell walls of
 - composition of, 410, 412
 - cross-linkage of polymers of, 418-421
 - plasticizing action of PDS reductase on, 418, 421, 422
 - mechanism of, 421-422
 - polysaccharide-protein complexes in, 410-413
 - structure, 418
 - cellular division of
 - function of protein disulfide reductase in, 409-424
 - cytochrome c of, 147-148
 - difference between animal cytochromes and, 148
 - explosive budding mechanism of, 418-419, 424
 - growth in length, mechanism of, 421
- Z**
- Zinc
 - in dehydrogenases, 349
 - reaction with proteins, 349
 - S atoms as probable binding site, 349
 - in yeast alcohol dehydrogenase, 221 ff., 242-243, 255, 263, 428
 - Zinc group metals
 - removal of T₂ bacteriophage fibers by, 349, 363