

SUBJECT INDEX

Italicized numbers refer to tables.

A

Abalone, 126, 128
Actomyosin, 242
Aerobacter, 482, 483
Alanine, 46, 49, 131, 135
 β , 59
Albacore, 207
Alec, 4-5
Allergy, 443, 521-537
 fish, 522-525
 shellfish, 522-523
Allergy-like poisoning, 475-476
Amino acids—for individual acids, *see*
 main entries
Amino acid, 125, 135, 243, 382
 egg, 139
 free, *see* main entry
 sulphurous, 129-130
Amino acid composition, 45-62, 47, 53,
 74, 78, 128, 384
 fish flesh, 48
 fish meal, 384
 sex differences, 51, 56, 57, 58, 59, 61
 shellfish, 126, 127
Amino acid content of fish, 246
Amino nitrogen, 49
 α , 51
Anchovy, 268, 373
Angler, 559
Animal proteins
 global data, 282, 368
Annam swelling, *see* Kwashiorkor
Anserine, 59, 71
Antioxidants, 408-409
Antithiamine, 64
Appraisal methods
 dairy balance, 315
 economic comparisons, 318
 fish acreage, 307, 310-311
 fish population, 306, 308
 ghost acreage, 309, 315
 meat balance, 318

Aquatic food, 270
 Japan, 370-371
Aquatic production, 287, 288, 295, 422
 the Arctic, 289
 Asia, 288
 Brazil, 288
 Caribbean, 276
 fish-fat, 301
 Japan, 365
 yearly consumption, 287
Arachidonic acid, 156
Arapaima, 51
Arginine, 49, 57, 61, 70, 72, 90, 126,
 131, 132, 133, 134, 139, 401, 402,
 440-441
Arsanilic acid, 412
Arsenic, *see* Mineral composition
Ascorbic acid, *see* Vitamin C
Asparagine, 131
Aspartic acid, 50, 242, 244
ATP (adenosinetriphosphate), 71
Aureomycin, 574
Autolysis, 69
Avitaminosis, 458, 573-574

B

Bacalao, 19, 314
Bacteriophage, 483, 484, 486, 487, 493,
 579
 coli, 493-494
 enteric, 484-492
 in fish, 492-495
 indicator of pathogenic bacteria, 485-
 488
 large and small plaques in waters,
 488-491
 purification of waters, 491-492
 Salmonella, 488-489
 sensitivity to light, 489-491
Bangos, *see* Milkfish
Barbel, 534, 582, 586
Barracuda, 471, 554, 555
 poisoning, 471

- Bass, 73
 Black Sea, 548
 Japanese, 554
 Kelp, 564
 Stone, 180
- Betaine, 133, 137
- Biological value, 40-45, 123-124, 134, 135, 398, 401
- Biotin, 249, 574
- Biotoxins, 135, 446, 494, 524-534, 536
 asari, 529
 cephalopod poisoning, 529-530
 distribution, 525
 holothurin, 129, 524
 murexine, 524
 oral, 525
 paralytic shellfish poisoning, *see* main entry
 parenteral, 525
 puffer poison, *see* main entry
 saurine, 524
 venerupin poisoning, 529
- Bluefish, 217
- Bluegill, 602
- Blue mussel, 121
- Body oil, 189, 194, 196, 704
 black cod, 150
 catfish, 196
 cutterfish, 154
 fish, 154
 flatfish, 150
 herring, 150, 151, 156, 163, 195
 lemon sole, 196
 menhaden, 150, 156, 163, 195, 301, 387
 peroxide value, 153, 154, 164, 181
 quantities, 705
 sablefish, 196
 sardine, 151, 156, 162, 163, 164, 196
 saury, 150, 155
 seal, 156
 sperm whale, 157, 158
 spleen, 189
 toxic factors, 383-386
 tuna, 156
 viscera, 188-189
 whale, 150, 151, 156, 163, 164, 701, 702, 702
- Bombay duck, 36, 52, 54, 446
- Bone eating, 227
- Bonito
 California, 187
- Botulism, 451-457, 454-455
 Type A, 454
 Type B, 454, 456
 Type C, 455
 Type E, 451, 452-453, 465, 467, 476
- Bream
 fresh-water, 534
- Brill, 179
- Brining, 238-239
- Broiler
 production, 298
- Buffalo-fish, 78
- Bullhead
 marine, 549
- Burbot, 586
- C
- Calcium, 64, 84, 134, 228, 303, 388
see also Mineral composition
- Calcium-45, 614
- California killifish, 606
- Calories, 289
 protein calories, 32
- Canned fish, 374
 skipjack, 374
 tuna, 374
- Canning, 26-27, 72, 135-136, 191, 239-240, 243, 640-641, 642, 650, 653
 king crab, 695
 quantities, 675
 utilization, 676
- Carbon-14, 620, 626
- Carcinus*, 131
- Caribbean, 285
- Carnosine, 59
- Carp, 37, 50, 55, 57, 58, 193, 438, 585, 621, 624, 648-649
 Common, 273
 Fine-scaled, 534
 protein, 43
- Cat food, 62
- Catch, 13-14, 269, 270, 271, 273, 276, 278, 365
 African, 272

- Amazon River, 272
 Cambodia, 648
 cephalopods, 699
 China, 271, 644, 645, 648, 663
 disposal of world, 650, 653
 fresh-water, 270, 271, 646-647, 648
 Great Lakes, 272
 Japan, 364-367, 365, 663, 711
 king crab, 696
 Lake Victoria, 272
 marine, 269
 North America, 690
 Norwegian herring, 287
 Ob, 272
 Pacific, 690
 per capita, 639, 643, 644
 Peru, 652, 684
 Poland, 656
 pond, 273
 shrimp, 697
 Siberian rivers, 272
 South Africa, 651
 Soviet Union, 272, 645, 649, 657
 tuna, 711
 whale, 366, 701
 Catfish, 195, 218, 241
 Cathepsin, 134
 Caviar, 7, 57, 451
 Centolla, 698
 Cephalopods, 120, 129, 698
 Cercaria, 584, 585
 Cerium-144, 616, 617, 619, 624, 624
 mollusks, 615
 Cesium-137, 617, 619, 623
 concentration factors, 624
 mollusks, 615
 Chalkiness, 36
 Char, 586
 Chastek paralysis, 437-438
 Cheilosis, 364
 Chemical composition, *see* Various compounds
 Chitin, 133
 Chloride, 206-221
 Cholera, 491
 Ciguatera, 531
 Clam, 123, 132, 621, 622-623, 624, 625, 627
 Alaska, 527
 Asari, 529
 Little-neck, 132
 Soft-shelled, 132
 Cleansings
 bactericidal effect, 505
 oxidation, 504
 protozoans, 505
 sedimentation, 504
 solar irradiation, 505
Clostridium, 493
C. botulinum, 443, 452-453, 456, 468, 476-477, 563
Clostridium welchii, *see* *Welchii perfringens*
 Clupeine, 61
 Coalfish, 439
 Cobalt, *see also* mineral composition
 Cobalt-60, 614, 616, 617
 Cobolamin, *see* Vitamin B₁₂
 Cod, 20-21, 43, 45, 50, 61, 66, 70, 72, 134, 215, 217, 227, 236, 240, 248, 258, 269, 546, 547, 549, 551, 553, 558, 559, 560, 561, 564, 565, 660, 670, 671
 Gray, *see* Cod, Pacific
 Ling, *see* Lingcod
 Pacific, 178, 179, 185
 protein, 42, 44, 83
 salted, *see* main entry
 Cold storage, 237-238
 Coliforms, 482, 506, 507
 survival, 506
 Collagens, 61, 62, 122, 123, 417
 Comparisons
 fish with beef, 41, 57
 fish with eggs, 226
 Composition
 eye, 62
 fish flesh, 33, 300
 lens, 62
 Consumption, 226
 fish and shellfish, 285, 290
 Contamination of fish, 481-495

- Cooking, 73-74, 136, 240-241
 boiling in water, 220-221
 broiling, 221
- Copper, *see* Mineral composition
- Cost
 shrimp pond, 274
 shrimp trawler, 274
- Cotton mink, 439
- Crab, 131, 136, 245, 715
 Blue, 130, 135
 Chinese, 131
 Coconut, 623
 Dungeness, 135
 King, 135, 695
 protein, 123
 Sand, 135
 Spanish, 117, 136
- Crayfish, 132
 fresh-water, 447
- Creatine, 72, 73, 131, 218
- Creatinine, 73
- Croaker, 73, 548
- Crustacean, 116, 117-119, 127-128, 130,
 213, 215, 219, 694
 protein, 126
- Culebrilla, *see* Kwashiorkor
- Curing, 2-3, 640-641, 642, 650, 653
 half-salt, 4
 kench-curing, 18
 plain brine, 3
 quantities, 669
 salt fish industry, 6
 utilization, 668
- Cystine, 46, 49, 55, 72, 75, 87, 129-130,
 133, 137, 382, 401, 417
- D**
- Dark meat, 51, 62-64, 215, 397
- Deep-fat frying, 221
- Dehydration, 70-72, 240
- Deoxyribosenucleic acid, 398
- Desiccation of frozen fish, 237-238
- Diet deficiency, 364, 421, 438
 Ghana, 289
 needs for improved diet, 364
 Nigeria, 288
 physical symptoms, 364
- Digestibility (fish flesh), 40, 65-68, 67,
 134, 240
- Dilis, 43, 77, 83
- Dinoflagellate, 135, 526, 527
- Dogfish, 66, 177, 181
- Dolphin, 3
- Drip, 236, 237, 259-260
- Dropsy, *see* Fish diseases, ascite
- Drying, 2, 7, 136-137, 670
 maldive fish, 671
 squid, 698
- Dugong, 276
- E**
- Eberthella*, 482
- Edible amount
 fish, 120
 shellfish, 120
- Edible oil, 161-162
- Eel, 55, 178, 190, 268, 585, 622-623,
 648-649
 Common, 545, 548
 Golden, 560
 Sand, 691
 Silver, 560
- Egg
 albumin, 66
 fishy flavor, 392
 hatchability, 412-413
 protein, 41, 52
- Elasmobranch, 38, 39, 181-184, 191,
 558, 559
 liver oil, 182
 poisoning, 531
- Encephalomalacia, 389
- Enteric bacteria, 492-495
- Enzymes, *see* specific enzyme
- Enzymic digestion, 398
- Erysipelothrix rhusiopathiae*, 535
- Escherichia coli*, 135, 448, 481, 482, 483,
 493, 494, 505, 506-507, 510, 563
 survivability, 508
- Escolar oil, 533
- Essential amino acids (EAA), 52, 245,
 399, 402
- Essential fatty acids (EFA), 155-156
- Ethmidium chilcae*, 210
- Ezowasure-gai poisoning, 472-473

F

- Factors in utilization, 705
 consumption trends, 706
 regionality, 706
 seasonality, 705
- Fat content, 300, 439
- Fatty acids, 63
 clupanodonic acid, 151
 highly unsaturated, 389
 iso-oleic acid, 162
 linoleic acid, 151
 oleic acid, 151
 stearic acid, 151
 unsaturated, 394, 438
- Fecal bacteria in sea water, 507
- Feeding
 broiler, 722
 chicken, 191, 377, 393, 399, 411, 412, 416, 417, 418
 ducklings, 393
 fox, 438
 hogs, 394
 livestock, 377
 mink, *see* main entry
 rainbow trout, 709
 soybean meal, 406, 412, 418
- Fermentation, 137
- Fermented fish products, 85, 284, 285
see also Nampla, Nuoc-mam, and other specific products
- Fertilizer, 299, 378
- Filleting, 236-237
- Fish
 anadromous, 216
 Bengal, 42
 biotoxins, *see* main entry
 Bombay, 211
 Cameroon, 214
 Caspian, 219
 Chilean, 210
 frozen, 279
 India, 213
 marine, *see* Fish, saltwater
 the Nile, 447
 Peru, 55
 River Plate, 447
 Sea of Okhotsk, 219
 Togo, 214
- Fish and dairy products in world trade, 281
- Fish and shellfish as animal protein, 291
- Fish autolyzate, 77
- Fish balance
 dairy terms, 316
 meat, 319
- Fish cultivation, 273, 274, 565
 Big-mouth buffalo, 273
 Carp, 274, 578
 China, 273, 274
 Far East, 274
 fertilizing, 273
 Japan, 274
 Java, 274
 marine, 274
 Rainbow trout, 273
 River catfish, 273
 Thailand, 278
Tilapia, 274
- Fish diseases, 542-545, 549-550, 553, 558
see also Fish parasites
 acanthocephala, 587
 ascite, 578
 atypical cell growth, 560
 bacterial, 545, 550, 577, 580
 boil disease, 582
 carcinoma, 576
 carriers of contamination, 509-510
 cauliflower disease, 560
 ciliata, 555
 control, 566
 cotton wool disease, 579-580
 detection, 564
 disorders due to malnutrition, 573-574
 economic importance, 589-590
 effect on fish abundance, 562-563
 eye infection, 548-549
 fish slime, 566
 fresh water, 573-590
 fresh-water fish, 573, 574-575
 furunculosis, 543, 547, 561, 577
 general relationships, 562-566
 hemorrhagic septicemia, 546

- in nature, 563-564
- infectious dropsy, 580
- intoxication, 574-575
- INuL, 580
- kidney disease, 549
- knot or pimple disease, 582
- lymphocystis, 550
- man as host, 563
- marine, 541-566
- Mastigophora*, 552-553
- mycoses, 576
- nematodes, 587
- nonparasitic infection, 573-576
- pigment spot disease, 556-557
- pox disease, 580
- protozoan, 551-556, 581
- red pest, 545, 577-578, 588
- Saprolegnia*, 551
- sarcoma, 576
- sleeping sickness, 582
- tail rot, 547, 561
- tapeworm, 586-587
- therapy, 561
- trematodes, 585
- trypanosomes, 553
- tuberculosis, 548, 579, 589
- tumbling sickness, 582
- tumors, 560, 575-576
- twist disease, 555
- ulcer disease, 579
- unicellular algae, 580-581
- vibrio infections, 561
- virus diseases, 544, 550, 580
- white spot disease, 581
- Fish flesh, 49, 190, 194
- Fish flour, 43, 56, 68, 74, 76-77, 78, 82, 79-85, 303, 689
 - Belgian Congo, 83
 - El Salvador, 80
 - India, 81
 - Indonesia, 81
 - Morocco, 297
 - Philippines, 81, 83
 - Uganda, 81
- Fish guano, *see* Fertilizer
- Fish in diets, 30-31, 65-68, 75, 223, 225, 268, 278
 - Brazil, 280
 - Greece, 268
 - Jamaica, 280
 - Japan, 361
 - Philippines, 288
 - Roman, 268
 - Senegal, 289
- Fish in relief plans, 227-228
- Fish intoxications, 473-475
- Fish liver, 259, 439
- Fish louse, 542
- Fish macaroni, 297
- Fish meal, 23, 44, 55, 74, 77, 79, 85-89, 150, 226, 239, 243, 279, 298, 317, 377-394, 384, 390, 411, 437, 448, 684
 - see also* Meal
 - balance, 720
 - carp, 396-397
 - contamination, 511
 - eod, 77, 389, 416
 - crab, 411, 419
 - crustacean, 418
 - dogfish, 417-418
 - drying temperature, 401
 - fat, 383-387
 - haddock, 87
 - herring, 54, 56, 71, 77, 86, 87, 89, 155, 260, 386, 389, 400, 404, 405, 408, 415, 421
 - infections, 394
 - iodine, 388
 - liver, 410
 - lobster, 418
 - mackerel, 86, 399
 - menhaden, 86, 87, 404, 408
 - minerals, 388
 - Moroccan sardine, 396
 - Norwegian herring, 396
 - nutrients, 380-392
 - oil, 395
 - over-all value, 379
 - oxidation, 87
 - pilchard, 405
 - polymerization, 387
 - processing, 440
 - production, 87

- protein, 380-383
- protein composition, 396-397
- quality, 395, 396
- quality appraisal, 381
- redfish, 86
- sardine, 87, 155, 388, 389, 407
- scrap meal, 396
- shark, 418
- shellfish, 418-419
- starfish, *see* under Meal
- storage, 405-408
- sun-dried herring, 405
- tuna, 86, 87, 396, 406, 408
- visceral, 397
- vitamins, 388-392
- whale, *see* main entry
- whitefish, 382, 415
- whole meal, 88
- whole trash fish, 397
- Fish meal solubles
 - production, 686
- Fish muscle, 53, 67
- Fish oil, 149-165
 - autoxidized, 153
 - Indian river fish, 188
 - toxic, 260
- Fish parasites
 - anchor worms, 584
 - annelida, 587-588
 - carp louse, 583, 589
 - cat liver fluke, 584
 - cestodes, 557
 - control, 566
 - copepods, 559-560
 - flukes, 585
 - human food hygiene, 588
 - leeches, 588
 - lice, 583
 - metazoa, 583
 - nematodes, 558-559
 - platyhelminthes, 584-587
 - sea louse, 560
 - tapeworm, 585-586
 - trematodes, 542, 551, 556-557
 - yellow grub, 584
- Fish paste, 57, 75
- Fish poisoning, *see* Biotoxins
- Fish protein, 84
 - relation to animal proteins, 721
- Fish respiration, 601
- Fish sausage, 6, 369, 374, 451, 703
 - see also* Kamaboko
- Fish scales, 398
- Fish serving, 53
- Fish silage, 89, 419-420, 683
 - dry, 422
 - wet, 420-422
- Fish solubles, 88, 89-90, 377, 384, 390, 409-415
 - herring, 400, 411, 417
 - protein quality, 414-415
 - starfish, 419
 - stimulation of rumen microflora, 415
 - unidentified factors, 411-414
 - vitamin content, 409-411
- Fish waste, 74
- Fishy off-flavor, 392-394
- Flatfish, 38
- Floating factories, 656
 - fish meal factories, 662
 - fishing vessels, 662
 - floating canneries, 659
 - freezing trawlers, 658
 - Japan, 661
 - salting units, 660
 - Soviet Union, 658, 660-661
 - transporting vessels, 662
- Flounder, 55, 73, 550, 560
 - Pacific, 237
- Fluorine, 217, 223, 260, 303-305
- Flying fish, 560
- Folic acid, 401, 404
- Food fish, 642
- Food poisoning, 443-460, 468, 521-537
 - bacterial, 447, 521-522
 - fish-borne infections, 522
 - incidence, 443-447
 - Japan, 470
 - vehicles of infection, 444-445
- Free amino acids, 51, 58-61, 131, 134, 137, 236
- Free fatty acid, 387, 407
- Freezing, 24-25, 70, 135, 237-238, 243, 640-641, 642, 650, 653, 678

- bait, 680-681
 lobster, 695
 quantities, 680
 utilization, 679
 Fresh market fish, 640-641, 642, 650, 653
 filleting, 666
 investments, 666
 quantities, 665
 utilization pattern, 663, 664
 Fresh-water fish, 6, 207, 211, 215, 216, 218, 451
 India, 188
 Fresh-water shrimp, 274
 Fresh fish trade, 20-23
 Fugu, *see* Puffer
 Funia, *see* Carp
 Fungi, 550, 576-577
- G**
- Gambia-type diet, 89
 Garum, 4
 Gastropod, 116
 Geelbek, 180
 Gempylid diarrhea, 533
 Ghol, 67-68
 Gill, 219, 220
 Glazing, 238
 Globefish, 469
 Glucosamin, 39
 Glutamic acid, 46, 49, 131, 134, 242, 244
 Glutamine, 59
 Glycerides, 149-152
 Glycine, 91, 131, 133, 244, 402
 Glycocoll, 128, 135
 Glycogen, 121
 Glucoproteins, 122
 Glutamic acid, 130
 Gnoek, *see* Barracuda
 Goiter, 304
 iodine, 225
 Goldfish, 599, 622-623
Gonyaulax, 549, 562
 cantenella, 472
 Gripping, *see* Kaking
 Gross protein value, 381
- Groundnut, *see* Peanut
 Grouper, 177
Gryphea angulata, 219
- H**
- Haddock, 21, 41, 45, 50, 53, 73, 74, 185, 215, 217, 239, 482, 549, 554
 Hagfish poisoning, 531
 Hake, 58, 185, 554, 670
 eggs, 210, 215
 Pacific, 439
 Halibut, 42, 46, 177, 178, 181, 189, 207, 217, 241, 249, 554, 558
 Atlantic, 220
 North Sea, 185
 Pacific, 185, 555
 Halophilic bacteria, 469
 Hammerhead, 184
 Hard clam, 126, 128
 Hematin, 383
 Hemoglobin, 64, 222, 439
 Herring, 8-16, 37, 45, 50, 57, 73, 88, 89, 211-213, 218, 239, 240, 241, 268, 301, 303, 438, 451, 550, 551, 553, 554, 555, 557, 564, 565, 657, 671, 677, 689
 Atlantic, 47, 420, 558
 Baltic, 52
 bloaters, 25
 bokking, 8, 10
 kippers, 25
 klondyked, 15
 marinated, 15
 protein, 41
 red, 14
 Round, 369
 salt, 8-14, 660
 sild, 26
 smoked, 14-15
 tonharing, 9
 white, 14
 Herring meal, 402
 Higher alcohols, 157-159
 Highly unsaturated acids, 151, 152-157, 302
 Higo, *see* Carp
 Histamine, 59, 69, 476

- Histidine, 50, 57, 59, 85, 87, 90, 126, 132, 407
- History of fishing, 1-27, 268, 273, 284, 299, 377-379
- Baltic, 8
 - barrels, 12
 - Bronze Age, 2-3
 - canning, 26-27
 - classical times, 3-6
 - consumer aspects, 19-20
 - Dutch salt herring, 12-13
 - Egypt, 6
 - Europe, 268
 - fatty fish products, 15
 - fleets, 10, 22
 - freezing, 24-25
 - fried fish, 23-24
 - Greeks, 4
 - icing, 22-23
 - live fish, 20-21
 - Middle Ages, 6-20
 - mildly smoked fish, 25-26
 - modern era, 20-27
 - Newfoundland, 269
 - North America, 268
 - prehistoric times, 1-3
 - quality control, 12
 - rise of British fishery, 13-14
 - salt curing, 15-16
 - salted herring, 8-11
 - the Scania fishery, 11
 - steampower, 22
 - stockfish, 16-17
 - Stone Age, 2
 - trawling, 21
 - white fish, 16-17
- Holothurin, *see* Biotoxin
- Horse mackerel, 554
- Japanese, 50, 473
- Human anemia, 364
- Human fish consumption
- Japan, 366-367
- Hydrocarbons, 159-161
- Hydrogenated fish oil, 162
- Hydrolyzates, 87, 137, 243, 402
- Hydroxylysine, 91
- Hydroxyproline, 61, 91
- Hypervitaminosis, 187
- I
- Ichthyohemotoxism, 534
- Ichthyosarcotoxism, 530
- Ichthyotoxism, 533-534
- Ide, 584
- Ikan tamban, 84
- Impairment of protein value, 242-245
- Impairment of vitamin value, 245-260
- Imports of aquatic oils and fats, 704
- Indigestible material, 406
- Inositol, 574
- Insulin, 299
- International trade, 3, 6, 9, 12-13, 16-17, 280
- fish and milk contending, 280
 - general, 280
- Iodine, 215-217, 216, 223, 225, 226, 260, 303, 369
- Iro-qoi, *see* Carp
- Iron, *see* Mineral composition
- Iron-59, 614, 616, 617, 625
- Isoleucine, 49, 68, 75, 81, 90
- Israel, 274
- Izushi, 446, 451
- J
- Japanese earshell, 116, 119
- Jellyfish, 535
- John Dory, 554
- K
- Kamaboko, 374, 469, 702-703
- Kingklip, 178, 180-181
- Koi, *see* Carp
- Kwashiorkor, 78, 228, 297
- L
- Lamprey, 59, 369, 531
- Latin America, 299
- Lead, *see* Mineral composition
- Lead-210, 625
- Lemon sole, 45, 50, 195
- Leucine, 57, 72, 74, 90
- Leuciscus idus*, 218
- Ling, 177, 559
- New Zealand, 180

Lingcod, 181, 207, 227
 Pacific, 236
 Lithium, *see* Mineral composition
 Liver, 181-188, 191-193, 218, 219
 mollusk, 220
 Liver fluke, 585, 588
 Liver oil, 177, 186, 187, 189, 192, 194,
 196, 279, 705
 amount, 280
 catfish, 195
 cod, 150, 151, 154, 156, 177, 185,
 191, 193, 280, 302, 389
 elasmobranch, 184
 halibut, 151, 179-180, 193
 salmon, 181
 sex differences, 184
 shark, 150, 158-159, 165
 South African stockfish, 302
 Lobster, 122, 127, 128, 131, 133
 Rock, 695
Loligo gahi, 130
Lophiosilurus alexandri, 587
 Low sodium diets, 226-227
 Lyophilizing, 243
 Lysine, 56, 64, 68, 70, 72, 74, 75, 77,
 83, 84, 87, 90, 91, 126, 127, 130,
 139, 283, 285, 287, 288, 297, 382,
 398, 402, 403, 407, 440
 tryptophan ratio, 77

M

Maasbanker, *see* Horse mackerel
 Mackerel, 2, 4, 43, 59, 72, 207, 249,
 268, 551, 553
 Atlantic, 47, 58, 246, 249, 557
 Chub, *see* Mackerel, Pacific
 Horse, *see* Horse mackerel
 Japanese, *see* Mackerel, Pacific
 Pacific, 47, 246, 473, 533
 Spanish, 4, 471
 Mackerel scad, 473
 Magnesium, *see* Mineral composition
 Maillard reaction, 71, 86, 136, 240, 245,
 398, 402
 Manatee, 276
 Manila sea catfish, 39
 Marine oils, *see* specific oil

Marlin, 629
 Mass mortality, 562, 564
 Meal, *see also* specific entries under fish
 meal and shellfish meal
 crab, 411, 419
 crustacean, 418
 fish liver, 410
 herring, 689
 lobster, 418
 moldy, 408
 mussel, 138
 shark, 418
 shellfish, 138, 418-419
 starfish, 418-419
 visceral, 397
 Meat
 fishy flavor, 392
 lean fish, 213
 Melanins, 135
 Menhaden, 86, 87, 404, 408, 553
 Methionine, 49, 52, 54, 72, 74, 75, 81,
 84, 85, 86, 90, 126, 127, 129, 283,
 297, 382, 392, 398, 402, 407
 Methylhistidine
 L, 71
 Mexican platyfish, 579
 Milkfish, 288, 599
 Milt, 61, 215, 219, 398, 469
 Minamata disease, 474, 530
 Mineral composition, 64-65, 202, 205,
 206, 212, 218, 224, 225, 251
 arsenic, 219-220, 223
 calcium, 210-214, 214, 221, 222, 369
 cobalt, 220
 cooking, 220-222
 copper, 215, 218, 222-223
 fish flesh, 210, 215
 halibut, 220
 iron, 215, 222-223, 304
 lead, 219
 lithium, 220
 magnesium, 210-214, 217-218, 221
 nickel, 220
 phosphorus, 210-214, 214, 221, 222
 physiological utilization, 222-223
 potassium, 206-210, 208-209, 221,
 227
 sex differences, 213

- shellfish, 218
 sodium, 206-208, 221, 304
 strontium, 220
 sulfur, 206
 viscera, 213, 215
 whole fish, 213
 zinc, 218-219
- Mineral content, *see* Mineral composition
- Mink**
 commercial ranch diet, 435-436, 689
- Mink feed, 275-276, 435-441**
 fish fat, 439
 fish meal, 437
 fresh-water fish, 436
 salt-water fish, 436-437
- Mollusk, 119-120, 130, 136, 213, 219, 620, 623**
 proteins, 126
- Moray eel, 531**
Moray eel poisoning, 531
- Mucin, 39, 120**
- Mucoprotein, 123**
- Mudsucker**
 Long-jawed, 595
- Mullet, 132**
 Common, 556
 fresh-water, 207
 salt-water, 207
- Muro-aji, *see* Mackerel scad**
- Mussel, 116, 130, 134, 288**
- Myoglobin, 62, 64**
- Myosin, 120, 237, 238**
- N**
- Nam-pla, 85**
Nephenea arthritica, 135
Nephrops, 131
- Net protein utilization (NPU), 44**
Net utilization coefficient, 134
- Niacin, 245, 256-257, 397, 401, 410**
- Nickel, *see* Mineral composition**
- Nicotinic acid, 404**
- Nitrogen balance, 41**
- Noncoagulable protein, 38**
- Nonprotein nitrogen, 131, 241, 242**
- Non-radioactive elements**
 concentration factors, 613, 613-614
- Nucleoproteins, 215**
- Nuoc-mam, 4, 5, 53, 60, 75, 85**
- Nutritional deficiencies, *see* Diet deficiency**
- Nutritional role of fish, 283**
- Nutritive aspects, 29-91, 115-139, 149-165**
- Nutritive value, 235-260, 405, 408**
 drying temperature, 401-405
 fat, 367-369
 fish meal, 394
 fish oil, 162
 Japan, 367-372
 kind of fish, 394-398
 minerals, 369
 processing, 399-405
 raw material, 394-399
 season, 398-399
 spoilage, 399
 vitamin, 369-372
 wet vs. dry rendering, 399-400
 whole (or full) meal, 400-401
- O**
- Ocean currents**
 surface currents, 504
- Ocean perch, 56**
- Octopine, 133**
- Octopus, 120, 130, 134, 219, 529**
- Oil**
 iodine value, 383
- Opaleye, 606**
- Opisthorchiasis, 584-585**
- Oven baking, 221**
- Oyster, 120, 121, 123, 134, 215, 219, 222, 249, 259, 472, 621, 622-623**
 Japanese, 121, 529
 protein, 41
- P**
- Pacific rockfish, 35**
Pagrus major, 46
- Pancreatin, 136**
- Pantothenic acid, 249, 401, 404, 410**
- Paracolonobacterium*, 483
- Paradysenteric bacteria, 491**
- Paralytic shellfish poisoning, 443, 472, 524, 525, 526**

- chemistry, 529
- clinical characteristics, 526
- control of toxic shellfish in canning, 528
- preventive measures, 527
- seasonal fluctuations, 527-528
- testing methods, 528
- Parasites, 522, 556-560
 - see also* Fish parasites
- Pastes, 137
- Patella*, 133
- Peanut flour, 84
- Peanut meal, 77
- Pepsin, 66
- Per capita consumption, 289
- Per capita fish food intake, 294, 305
 - animal protein, 292
 - calorie, 362-363
 - carbohydrates, 362-363
 - fat, 362-363
 - fish protein, 292
 - Japan, 361-362, 362, 367
 - Nigeria, 288
 - mineral, 362-363
 - nutrients, 362-363
 - protein, 362-363
 - rural areas, 363
 - urban areas, 363
 - vitamins, 362-363
- Perch, 39, 57, 76, 83, 577
 - Lake, 586
 - Ocean, 77
 - Yellow, 586
- PGA (folic acid complex), 258
- Phenylalanine, 49, 58, 74, 126, 382
- Phospholipid, 260
- Phosphoproteins, 39
- Phosphorus, 84, 227, 228, 388
 - see also* Mineral composition
- Physical losses during processing, 236-241
- Physical losses in round and dressed fish, 235-236
- Pickling, 3
- Pike, 61, 268, 558, 577, 586
 - Northern, 586, 596
- Pike perch, *see* Walleye
- Pilchard, *see* Sardine
- Pirarucu, 272-273
- Plaice, 36-37, 55, 546, 547, 555, 565, 627
 - American, 559
- Poisoning, *see* Biotoxins
- Poisoning, ciguatera, *see* main entry
- Pollock
 - Alaska, 687
- Pollution, 481-495, 504, 513
- Polyenoic acid, 152, 153, 154
- Polymerized fish oil, 163
- Polyunsaturated fish oils, 63
- Pomfret, 53
 - Indian, 51
- Pope, 39, 558, 586
- Potassium, *see* Mineral composition
- Potential fish catch
 - Japan, 317
- Poultry, 226
- Poultry feed, 65
- Prawn, 119, 127, 128, 136
 - Indian, 128
- Presscake, 88, 401, 402, 403, 404, 405
 - herring, 404
- Press water, 88, 90, 239-240, 279, 400, 409-411, 687-688
 - solubles, 89
- Price, 286
- Primary marine production, 296
- Production efficiency, 318-320
- Productive capacity of sea and land, 277
- Proline, 49, 91, 131, 132, 133
- Protamines, 61
- Protein, *see also* specific animals
 - animal, 367
 - cod, 286
 - dry matter, 284
 - fish, 29-91, 291
 - grams in 100 calories, 283
 - herring, 286
 - methods of appraisal, 39-40
 - milk, 286
 - seasonal changes, 121-122
 - shellfish, 115-139, 291
- Protein balance, 292, 720
 - animal, 294, 368

- fish, 368
 - fish in total, 295
 - Protein content, 31-39, 34, 116-123
 - Protein content of foods, 283, 284
 - Protein deficiency, 297
 - Protein efficiency, 400
 - Protein efficiency ratio, 40
 - Protein percentage
 - aquatic sources, 117
 - Protein quality index, 381
 - Protein utilization (NPU), 39-40
 - Protein utilization value, 403
 - Proteus*, 457, 482, 483
 - Provitamins D, 176
 - Pteroylglutamic acid, 249
 - Puffer, 556
 - Puffer poisoning, 443, 469, 524, 532
 - Purified fish proteins, 84
 - Pyloric ceca, 62
 - Pyridoxine, 248, 386
- Q**
- Queenfish, 564
- R**
- Radioactivity, 609-630
 - accumulation by marine organisms, 611
 - concentration factors, 616, 628
 - Curie, 609-610
 - "Dragon" incident, 629
 - genetic damage, 610
 - increase, 611
 - lethal dose, 610
 - recent changes in oceanic, 611
 - uptake of organisms, 612
 - Radionuclides
 - concentration factors, 612
 - marine organisms, 618
 - miscellaneous, 625
 - Rancid fish, 440
 - Ray (fish), 55, 555
 - Redfish, 559, 657, 691
 - Red barsch, *see* Redfish
 - Red meat, *see* Dark meat
 - Red snapper, 219
 - Red tide, 549, 562
 - Reduction, 640-641, 650, 651, 683, 685, 688
 - quantities, 684
 - Remote fishing, 654
 - Japan, 655
 - Soviet Union, 654
 - Requirement
 - Angola, 289
 - Japan, 289
 - Norway, 289
 - Portugal, 289
 - Sweden, 289
 - Respiration
 - carbon dioxide, 600
 - Respiration (fish), 41
 - oxygen consumption, 598
 - oxygen per unit weight, 599
 - requirements, 597-602
 - Riboflavin, 240, 245, 248, 252-253, 386, 389, 397, 401, 402, 403, 404, 410, 419
 - Ribose, 72, 73
 - RNA (Ribonucleic acid), 71
 - Roach, 51, 585
 - Rock cod, 245
 - Rockfish
 - Pacific, 35
 - Roe, 61
 - cod, 259
 - herring, 259
 - salmon, 259
 - Rosefish, *see* Redfish
 - Ruthernium-106, 619, 627, 628
- S**
- Saithe, *see* Coalfish
 - Salmine, 61
 - Salmon, 8, 15, 33, 47, 66, 185, 188, 217, 225, 227, 241, 248, 249, 258, 299, 451, 482, 555, 676, 715
 - Alaska pink, 210
 - Atlantic, 190
 - Blueback, 550
 - chinook, *see* Salmon, King
 - chum, 579
 - Coho, *see* Salmon, Silver
 - Dog, *see* Salmon, chum

- King, 548, 551
 Pacific, 26, 50, 52, 220, 236, 247, 259, 260, 547
 red, *see* Salmon, Pacific
 Silver, 579
 Sockeye, *see* Salmon, Pacific
 Spring, 52, 207
- Salmonella, 135, 443, 446, 447-448, 467, 468, 483, 486, 488, 503-516, 507, 522
 edible shellfish, 512-514
 in fish, 514
 in mollusks, 514
 spread by uncleanness, 511, 515
 survival, 505-509
- Salmonellosis, 513
 caused by fish intake, 510-512
- Salmonids, 595
- Salsamentum, 3, 6
- Salt, 15, 18
- Salted cod, 7, 17-20, 280
 Iceland, 17
 the northwest Atlantic cod fishery, 18-19
- Salting, 2, 7, 8, 238-239, 671
- Salt water fish, 2, 7, 207, 215, 217, 218, 557, 558
- Sand launce, 396
- Sanitation, 440, 443-460, 561, 583
- Sardine, 15, 26, 36, 43, 72-73, 185, 222, 227, 243, 246, 301, 373, 402, 554, 651, 674, 677, 689, 715
 Atlantic, 44, 47
 Indian, 55
 oil, 55
 Pacific, 47, 50, 55, 61, 190, 242, 246
 protein, 40
 Scandinavian, 677
- Saurine, 476, 533
- Saury
 Pacific, 374
- Scallop, 120, 121, 130, 133, 218, 621
- Scarus, 3, 268
- Scombroid poisoning, 533
- Sea cucumber, 122, 123, 129, 130, 134, 137
- Sea water
 bacteria per milliliter, 565
 pH, 543
 rate of movement, 616, 617, 618
 salts, 543
 temperature, 543
- Seal, 3, 558-559
- Seaweed, 366
- Seborrhea, 157
- Selenium, 389
- Self-cleansing of the sea, 503-505
- Shad, 53, 72, 83
- Shark, 3, 36, 49, 55, 57, 471, 555, 694
 Greenland, 531
 protein, 52
 Slender-toothed, 181
- Sheatfish, 268
- Sheepshead, 564
 Lake, 207
 River, 207
- Shellfish, 118, 218
 carriers of contamination, 515
 protein composition, 117
 self cleansing, 513
- Shellfish meal, 138
 blue mussel, 138
 crab, 138
 crayfish, 138
 giant African snail, 139
 shrimp, 138
- Shigella*, 443, 447-448, 483, 509, 522, 563
- Shinshu-goi, *see* Carp
- Shrimp, 123, 130, 132, 133, 134, 136, 218, 695
 fresh-water, 587
- Shrimp cultivation, 274
- Sild, 195
- Silverbelly, 57
- Skate, 49, 55, 57
- Skin disorders, 534-537
 abrasions, lacerations, and fissures, 534
 allergy, 535
 bites and stings, 534
 erysipeloid, 535
 red feed dermatitis, 535
 scombroid dermatitis, 535

- secondary infections, 534
 skin cancer, 535
 Skins, 62, 217, 372
 Skipjack, 374
 protein, 40
 Smelt, 220, 555, 559, 560, 582
 Columbia River, 188
 Pond, 369
 Sand, 268
 Smoking, 191, 238-239, 672
 kippers, 672
 quantities, 672
 salmon, 2
 Snail, 130, 131, 557
 Snapper
 Red, 288
 Snoek, 180
 Sodium, *see* Mineral composition
 Sole, 57
 Solubles, 88, 89-90, 377, 384, 390, 409-415
 herring, 400, 411, 417
 protein quality, 414-415
 starfish, 419
 Soupfin shark, 175, 177, 178-179, 181, 184
 South East Asia, 85
 Soybean meal, 77
 Soy sauce, 137
 Special products, 297
 Sperm head, *see* Sperm whale oil
 Sperm oil, 702
 Spoilage, 69, 134-135
 Sprat, 551, 553
 Squalene, 159, 160, 161
 Squid, 116, 120, 122, 129, 130, 131, 133, 134, 137, 473, 529
 Stachydine, 133
 Staphylococcal poisoning, 448-450, 450
 canned fish, 449
 salted fish, 450
Staphylococcus, 443, 448-449, 467, 468
 Steam heating, 221
 Steatitis, 438
 Steenbras
 Red, 185, 186, 187
 Stickleback, 555
 Stickwater, *see* Press water
 Stockfish, 219
Streptococcus, 380, 507, 563
 Strontium, *see* Mineral composition
 Strontium-90, 610, 612, 616, 617, 619, 620, 622-623, 624, 625, 628, 629
 amount of fallout, 610
 mollusks, 615
 Sturgeon, 4, 7, 193, 268, 451
 Subsistence fishing, 276
 Sulfur, *see also* Mineral composition
 sex differences, 129
 Sulfur-containing amino acids, 53
 Swordfish, 4, 54, 245, 249, 554, 560
 protein, 42
- T
- Tapes philippinarum*, 41
 Tapeworm, 585-586, 588
 Tara, 219
 Taurine, 59, 72, 131, 132, 133
 Teleosts, 185-188, 186, 187, 191, 213
 Tench, 218, 585
 Tetraodon poisoning, 469-471
 Thiaminase, 134, 437-438
 Thiamine, 64, 134, 240, 245, 248, 254-255, 397, 438
 Threonine, 49, 58, 75, 83, 91, 127, 398, 402
Thyrsites atun, 210
Tilapia, 272, 622-623
 Toadfish, 555
 Tocopherol, 63, 151, 164, 195, 258-259, 302, 389
 Toxic materials from metals, 600-601
 Trade
 aquatic oils and fats, 717
 canned seafood, 715
 fish: dried, salted, or smoked, 713, 713
 fish: fresh, chilled, or frozen, 711, 712
 fish meal and solubles, 718, 719
 food fish, 710
 imports, 717
 patterns, 709
 Peru, 709
 seafood, 712

shellfish, 714, 714, 715
 Trade balance
 fish protein, 716-717
 Transportation of live fish, 595-606
 accumulation of ammonia, 602-603
 effects of overexertion, 603
 principles of aeration, 603-605
 use of anesthetics, 605-606
 Triglyceride, 260
 Tristan da Cunha, 305
 Tropical Africa, 288
 Trout, 50, 582
 Brown, 187, 585
 Lake, 35, 586
 Rainbow, 602, 645
 Specked, 599, 602
 Trypsin, 66
 Tryptophan, 55, 72, 74, 75, 76, 77, 83,
 84, 87, 90, 91, 130, 245, 283, 288,
 398, 400, 417
 Tuna, 3, 7, 36, 47, 59, 72, 227, 268,
 374, 621, 623, 629, 670, 674, 676,
 715
 liver, 259
 Pacific, 247
 Yellowfin, 554
 Tuna meal, 403
 Tunny, *see* Tuna
 Turbot, 554, 558
 Turkey, 393, 410
 poults, 411
 Turtle, 273, 276
 Green, 276
 Tyrosine, 49, 57, 72, 90, 126, 130, 133,
 382

U

Unsaponifiable matter, 157, 159
 Unsaturated fatty acid, 575
 Urume-Iwashi, *see* Herring, round
 Utilization, 278, 642, 688
 fish meal, 279, 721
 fish oil, 279
 general, 278
 Iceland, 708
 Japan, 364, 707
 pattern, 644, 707
 total fish catch, 640-641

United Kingdom, 663-664, 707-708
 whale meat, 374, 700
 Utilization coefficient, 66

V

Valine, 58, 72, 74, 126, 135, 398
 Venerupin poisoning, 471-472, 525
Vibrio comma, 522
 Viscera, 193-194
 Vitamin
 daily requirement, 245
 Vitamins—for individual vitamins, *see*
 main entries
 Vitamins, 175-197, 302
 Vitamin A, 165, 175, 177, 178, 179, 180,
 181, 190, 197, 238, 239, 245-248,
 250-251, 260, 303, 304, 369, 372,
 388, 392, 420, 471
 Vitamin B complex, 386
 Vitamin B₁, *see* Thiamine
 Vitamin B₂, *see* Riboflavin
 Vitamin B₆, *see* Pyridoxine
 Vitamin B₁₂, 258, 299, 366, 379, 389,
 397, 399, 401, 402, 403, 410, 412,
 574
 mullet, 369
 saury, 369
 Vitamin C, 245, 259
 Vitamin content, 186, 187, 189, 190,
 192, 194, 196, 390
 liver oil, 186
 raw and processed, 250
 teleost, 186
 Vitamin D, 175, 176, 191, 195-196, 239,
 245, 248, 251, 303, 305, 388, 420
 Vitamin E, 154, 155, 238, 413, 438, 574
 see Tocopherol
 Vitamin H, *see* Biotin
 Vitamin K, 389, 574

W

Walleye, 54, 56, 564, 586, 596
 Waste
 table, 295
 Water bloom, 549, 562
 Water content, 214

- Welchia perfringens*, 481-482, 486, 487,
491, 492, 493
- Whale, 3, 56, 90-91, 365, 374
- Whale meal, 90, 275, 279, 415-416
- Whale meat, 275, 276, 374
quantities, 700
- Whale solubles, 417
- Whaling, 275
- Whitefish, 7, 187, 302, 582, 585, 708
salted, 450
- White meat, 51, 63, 215, 241
- Whiting
Atlantic, 207, 439
Pacific, 207
- Wolf-fish, 559
- World balance of animal protein, 295
- World nutrition, 267-351
- X
- Xerophthalmia, 364
- Y
- Yamato-goi, *see* Carp
- Yellow fat disease, 438
- Yellowtail, 185
- Yttrium-90, 619, 625
- Yuksov disease, 458, 459
- Z
- Zinc, 65
see also Mineral composition
- Zinc-65, 614, 617, 619, 620, 625, 627,
628
- Zooplankton, 619