

## SUBJECT INDEX

### A

- Ablation, 415-474
  - of charring heat shields, 456-457
  - of fiberglass-reinforced phenolic resin, 455-456
  - of glassy materials, 436-453
    - with evaporation of the molten liquid, 441-453
    - without evaporation, 439-441
  - of graphite, 457, 459, 464-467
  - rates for a flat plate, 463-467
  - unsteady, coupled to a steady, laminar boundary-layer flow, 458-467
  - with combustion of gasification products, depolymerization and liquid-phase reactions, 454-458
  - without coupled flow, 417-435
    - mathematical formulation, 417-420
    - of opaque materials, 424-435
    - of semitransparent materials, 424
    - steady-state solution, 420-421
      - time to reach steady-state, 430, 432, 434
- Absolute intensities, 9-10
- Acoustic waves, 296-310
- Absorption coefficients
  - data for heated air, 190-203
  - linear, 96-106
    - from a bound lower state to an unstable upper state, 96-104
    - using harmonic-oscillator wave functions, 99-104
  - local mean, 83-86
    - for asymmetric-top molecules, 85-86
    - for rigid symmetric-top molecules, 83-85
  - Planck mean, 143-144, 150
  - Rosseland mean, 144, 148, 149, 188-189, 191-192
- spectral
  - bound-free, 12-13
  - continuum, 14-22
  - for electronic band systems belonging to diatomic molecules, 37-46
  - for pure rotational transitions, 24-28
  - for the first overtone region, 31-32
  - free-free, 12-13
  - in pure rotation spectrum of water vapor, 87-91
- Absorption cross section, 211
- Absorption efficiency factor, 209
- Absorption of radiation, 136-138
- Absorption oscillator strength, 6
- Absorptivities
  - relation with emissivities, 106-107
  - spectral, 4, 106
- Air
  - absorption-coefficient data for, 190-203
  - emission coefficient of, 195-197
  - emission rate of, 198
  - nonequilibrium radiation in, 205-206
  - radiative heat transfer in, 188-206
  - thermal conduction, 203-205
  - transmission (average) of optical radiation through, 199-202
- Alumina particle-size distributions
  - differential scattering cross section, 225-226
  - spectral emissivity, 225
- Aluminum oxide particles
  - absorption efficiency factor, 210-211
  - extinction efficiency factor, 210-211, 215
  - forward to backward scattering ratio, 211, 213-214
  - total to scattering cross-section ratio, 211, 215
- Angular distribution of scattered radiation, 211, 213, 216, 218-219

## Atmosphere

- band intensities used in atmospheric transmission calculations, 259-263
- bands observed in absorption or in emission by, 233, 235
- composition, 231-235
- spectral lines observed in absorption or in emission by, 233
- temperature distribution, 232
- transmission of radiation through, 231-262
  - along a slant path, 239-252
  - spectral, 236-239
- Atmosphere (planetary), 252-263
  - spectral distribution of the intensity of radiation emerging from, 252-257
  - transmission of an individual rotational line for Martian atmosphere, 253
- Atmospheric seeing, 257-263
- Atmospheric visibility, 257-263

## B

- Band absorption, 50-53, 61, 67-71
- Band emissivity calculations, 47-50, 55-60
- Band intensities used in atmospheric transmission calculations, 259-263
- Band radiation, 23, 37-47
- Bethe and Adams, theory for ablation rates, 436-444
- Binary scaling in radiating gas flows, 167-168
- Blackbody radiation
  - laws, 3-4
  - radiancy, 3, 4, 7
  - monochromatic, 3
  - spectral, 3
  - total, 4
  - spectral volume density, 5
- Blasius equation, 460
- Blunt body flows, 332-357, 402-411
- Body force due to radiation, 157-159
- Boltzmann number, 164, 273, 299
- Bouguer numbers, 164
- Bound-free absorption coefficients, 12-14
- Bound-free transitions (*f*-numbers), 10-12
- Boundary-layer flows, 395-402, 458-472
  - laminar and with chemical reactions, 460-462
  - mass fraction of ablator at the interface, 467-470
- Box model in nonisothermal emissivity calculations, 111-112
  - generalized, using derivatives of band emissivities, 112-117
- Box model, radiation scaling rules, 170

## C

## Carbon particles

- emissivity from particle-size distributions of, 223-225
- scattering cross section, 210-211, 213
- total cross section, 210-211, 213
- Chapman's theory of ablation, 450-453
- Charring solid materials, 416, 456-457
- CH<sub>4</sub> band absorption, 67-71
- Cl<sub>2</sub> absorption coefficient, 101-102, 105
- Cl<sub>2</sub> dissociation, vibrational excitation during, 104-106

## CO

- emissivity, 43, 47
- transmission through the atmosphere, 240, 245

CO<sub>2</sub>

- band absorption, 50-53
- band-emissivity calculations, 47-50
- band-integrated intensities, 54
- corrections for line structure in 2-7  $\mu$  and 15  $\mu$  regions, 79, 83
- total emissivity, 47, 53-55
- transmission of, 246-247

CO<sub>2</sub>-H<sub>2</sub>O mixtures, *see* H<sub>2</sub>O-CO<sub>2</sub> mixtures

## Collision broadening, 7, 8-9

## Collision cross section for photodetachment, 11-12

## Collision half-width, 7

## Composition of the atmosphere, 231-235

## Conduction (heat), 203-205, 310-311, 388-395

## Conical flow, 369-373, 381-383

## Conservation equations, 156-161, 296-297, 310

## energy, 159-161

## momentum, 156-159

## species, 156

## with radiant-energy transport, 156-161

Continuity equation for radiative transfer, 146  
 Continuum absorption coefficients, 14–23, 148, 155  
 Continuum radiation, 10–23, 148  
 Convective and radiative energy transfer coupling, 156  
 Convective heat transfer to a reentry body, 143, 275, 407, 409, 444, 452  
 Corrections for nonoverlapping of spectral lines, 75–76  
 Corrections for spectral line structure in the 2.7- $\mu$  region, 79–82  
 Corrections for spectral line structure in the 15- $\mu$  region, 82–83  
 Couette flow, 389–395  
 Coupling of radiative and convective energy transfer, 156–161, 407–409  
 Crocco relations, 461  
 Curtis-Godson approximation, 119–120, 249–251  
 Curves of growth, 7

## D

Damköhler's first similarity group, 163  
 Damköhler's third similarity group, 163  
 Diatomic molecules, 23–47  
   effect of vibration-rotation interactions, 27–28  
   electronic band systems, 37–46  
   infrared emissivities, 23, 28–36, 46–47  
   spectral absorption coefficients  
     electronic band systems, 37–46  
     pure rotational transitions, 24–28  
 Differential approximation for radiative transfer, 280  
   modified, 289, 293  
 Differential scattering cross section, 216–217, 226  
 Diffraction of a plane wave by a spherical particle, 208–214  
 Diffusion approximation, 163, 181, 278–279, 316, 345  
 Distributed radiators, 4–5  
 Doppler broadening, 7–8  
 Doppler half-widths, 7

## E

Eddington-Barbier approximation, 179–180, 181

Eddington's derivation of an expression for the Rosseland mean absorption coefficient, 146–148  
 Eddington method, 284  
 Effect of (partial) overlapping of spectral lines on total emissivity of  $H_2O-CO_2$  mixtures, 71–91  
 Efficiency factor  
   for absorption, 209, 210–211, 212  
   for extinction, 209, 210–211, 212  
   for scattering, 209, 211  
 Einstein coefficients, 5–6  
 Electric moment for the  $^3\Sigma_g^- \rightarrow ^3\Sigma_u^-$  transition of  $H_2$ , 95  
 Elsasser band, 241  
 Emission and scattering from particle-size distributions, 220–223, 225–226  
 Emission coefficient, 137  
   of high-temperature air, 195–197  
 Emission of radiation, 137–138  
 Emission oscillator strength, 6  
 Emission rate of air, 198  
   total, 198  
 Emissivity  
   band, calculations, 47–50, 55–60  
   data for heated air, 143  
   engineering (*see* Total emissivity), 5  
   hemispherical engineering, for transparent gases, 32–34  
   infrared, for diatomic molecules, 28–36, 46–47  
   of particle-size distributions, 223–225  
   relation to absorptivities, 106–107  
   spectral, 5, 31–32, 34–36  
   total, calculations, 47, 53–55, 60–67, 71–72, 74–83  
   total emissivities  
     effect of (partial) overlapping of spectral lines, 72–74  
     effect of rotational fine structure, 62–67  
     for smeared-out rotational fine structure, 60–62  
 Energy conservation equation, 159–161  
 Engineering or total emissivity, 5  
 Equations of motion, 296–297, 310  
   linearized, 297, 359  
 Equilibrium  
   line radiation, 2  
   "local" thermodynamic, 137, 160, 279, 327

- Equivalent width  $W$ , 236–237  
 Exponential approximation, 284  
 Exponential function, 280
- F**
- $f$ -Numbers, 10–12, 24, 29, 30  
 Flat plates  
   ablation rates, 463–467  
   transformation of results to stagnation region of a sphere, 470–472  
 Flux equation, 279  
 Formulation of radiative transfer problems, 135–143  
 Franck-Condon principle, 94  
 Free-free absorption coefficients, 12–14  
 Froude number, 163
- G**
- Gaunt factors, 13  
 Gray gas, 279, 321, 332, 366
- H**
- $H_2$  continuum, radiant energy emission in, 92–96  
 $H_2O$   
   band absorption, 61  
   band emissivity calculations, 55–60  
   integrated intensities of vibration-rotation bands, 59  
   pure rotation spectrum  
     integrated intensities, 86–87  
     local mean absorption coefficients, 83–86  
     spectral absorption coefficients, 87–91  
     total emissivity calculations, 55, 60–67  
     total radiant energy flux, 118–119  
 $H_2O-CO_2$  mixtures, 71–91  
   effect of (partial) overlapping of spectral lines on total emissivity of, 71–72, 74–83  
 Half-widths, 7, 9–10, 63  
   collision, 7, 8  
   Doppler, 7  
   natural, 7, 8  
 Harmonic bands, 57  
 Harmonic oscillator approximation, 30–31, 33, 48–49, 57, 99–104, 121–122  
 HCl emissivity, 45, 47
- Heat conduction, 203–205, 310–311, 388–395  
 Heat transfer during reentry  
   convective, 143, 275, 407, 409, 444, 452  
   radiative, 141–143, 271–278, 407, 409  
 Hemispherical engineering emissivities, 32–34  
 HF  
   emissivity, 46, 47  
   steradiancies, 176–179  
 Homogeneous radiation field, 136
- I**
- Imbedded shock, 311  
 Index of refraction, 210  
 Integral method for shock-layer flow, 349–357, 409  
 Integrated absorption, 6  
 Integrated intensity  
   in pure rotation spectrum, 86–87  
   of vibration-rotation bands, 48–50, 54, 59  
   temperature dependence, 57, 120–125  
 Ionization, 15, 326–331  
   front, 329  
   nonequilibrium, 327  
   precursor, 328  
   potential, 15  
 Isotropic radiation, 136  
   scattering, 137–138
- J**
- “Just-overlapping” line model, 1, 26, 38, 89, 115, 118, 170
- K**
- Kirchhoff-Huygens limit for scattered radiation, 219–220  
 Kirchhoff's law, 4  
 Kramers' formula, 12
- L**
- Lapse rate (temperature), 254  
 Line models  
   “just-overlapping”, 1, 26, 38, 118  
   smeared rotational, 23–25, 40

Line radiation, 2-10, 23-47  
 basic physical laws for, 2-10  
 broadening, 74  
 integrated absorption, 6  
 spectral profiles, 7  
 Linearized equations of motion, 296-297, 359  
 Local thermodynamic equilibrium, 137, 160, 279, 327  
 Lorentz line contour, 236

### M

Magnesia particle-size distributions  
 scattering from, 225-226  
 spectral emissivity of, 225  
 Magnesium oxide particles  
 absorption efficiency factor, 212  
 extinction efficiency factor, 212  
 forward to backward scattering ratio, 211, 213-214  
 scattered intensity, 214  
 total to scattering cross-section ratio, 211, 215  
 Mean free paths for radiation  
 for polyelectronic atoms at elevated temperatures, 148-155  
 Planck, 143-144, 148-155  
 Rosseland, 143, 144-148, 148-155  
 Methane, band absorption, 67-71  
 Mie theory, 208-220  
 limiting cases for, 215-220  
 Molar refractivity, 218  
 Moment method, 287-288  
 Momentum conservation equations, 156-159  
 Multiple isotropic scattering, 222

### N

$N_2$ , mean free paths, 148-149, 151-152  
 Natural line broadening, 8  
 NO  
 $\gamma$ -bands, spectral absorption coefficient, 41-42, 43-46  
 spectral emissivity, 34-36, 47  
 $N_2O$  transmission, 248  
 Nonequilibrium radiation in heated air, 205-206

Non-gray gases, 183-186  
 Non-gray radiation, 289, 318, 326, 409  
 Nonisothermal gases  
 basic transfer equation for, 108-111, 125-127  
 radiant-energy emission from, 107-120, 171-175  
 Nonoverlapping spectral lines  
 band absorption for, 116-117  
 corrections for, 75-76  
 radiation scaling rules, 170

### O

Opacity calculations, 1-134, 206  
 continuum, 14-23  
 Opaque materials (surface melting), 424-427  
 Optically thick gas, 143, 144, 180, 188-189, 272, 278, 292, 344, 345, 369, 393  
 Optically thin gas, 143-144, 180, 189, 271, 278, 293, 316-317, 340, 347, 364, 369, 373, 385, 396, 398  
 Oscillator, 6, 31  
 (absorption) strength, 6  
 (emission) strength, 6  
 harmonic, 30-31, 33, 48-49, 57, 99-104, 121-122  
 pseudo-harmonic approximation, 123-125  
 Ostrach's theory of ablation, 445-450

### P

Particles, radiative properties of, 208-230  
 Perturbation calculations for shock layers, 357-373  
 Photodetachment, collision cross section, 11-12  
 Planck, blackbody distribution law, 3, 137, 255  
 Planck limit, 190, 289  
 Planck mean absorption coefficients, 143-144, 150, 191, 199  
 Planck mean free paths, 143-144, 148-155  
 Planetary atmosphere  
 spectral distribution of the intensity of radiation emerging from, 252-257  
 transmission of an individual rotational line for a Martian atmosphere, 253

Polyatomic molecules, vibration-rotation bands of, 120-125  
 Potential curve, lower repulsive, 94, 98-100  
 Prandtl number, 163  
 Precursor heating, 311, 327-331  
   ionization, 327-331  
 Pseudo-harmonic oscillator approximation, 123-125  
 Pure rotational transitions, 24-27, 86-91

## R

Radiancy  
   blackbody, 3, 4  
   spectral, 3  
   total, 4  
   line, 7  
   monochromatic, 3, 4  
 Radiant energy  
   absorption (from stable to unstable energy levels), 91, 96-104  
   emission, scaling parameters for, 168-175  
   emission, from nonisothermal emitters, 107-120, 171-175  
   emission, from stable to unstable energy levels, 91-96  
   emission in hydrogen continuum, 92-96  
   flux from 2.7- $\mu$  band of H<sub>2</sub>O vapor, 118-119  
   transport, 156-161  
 Radiant heating and cooling (transient), 294-296  
 Radiant-heating problems (time-dependent), 421-424  
 Radiation energy density, 159  
 Radiation-induced wave, 301  
 Radiation mean free paths, 153-186  
   Planck, 143-144, 148-155  
   Rosseland, 143, 144-155  
 Radiation parameters, 271-273, 340, 345, 366, 372, 377, 387  
   optically thick gas, 272, 345  
   optically thin gas, 271, 340, 366, 372, 377, 387  
 Radiation pressure tensor, 158  
 Radiation scaling rules, 169-170  
 Radiation slip, 182-183, 292  
 Radiative-energy transfer, 135-187, 278-296  
   approximations for, 278-296  
   between two parallel plates, 138-143  
   at the steady state, 180-183, 291-294  
   coupled with convective energy transfer, 156  
   diffusion approximation, 163-164  
   limiting cases, 188-190  
   non-gray gases, 183-186, 289, 318, 326, 409  
   to the nose cone of a reentry vehicle, 141-143  
   transparent gases, 165  
 Radiative equilibrium, 291  
 Radiative heat transfer in heated air, 188-206  
 Radiative scaling properties for representative temperature profiles, 175-179  
 Raizer approximation in continuum radiation, 17  
 Raizer's approximate treatment for strong shock waves, 312-318  
 Random-Elsasser band model, 240-248  
 Randomly distributed spectral lines, 117  
 Rayleigh  
   ratio, 218  
   scattering, 215-219  
 Rayleigh-Jeans radiation law, 4  
 Reentry  
   convective heat transfer, 143, 275, 407, 409, 442, 452  
   radiative heat transfer, 141-143, 271-278, 407, 409  
 Relative intensity, 10  
 Reynolds number, 162  
 Rosseland diffusion approximation, 163, 181, 278, 316, 345  
 Rosseland mean absorption coefficient, 144-148, 149, 191-192  
   Eddington's derivation of, 146-148  
 Rosseland mean free paths, 143, 144-155  
 Rotational matrix element, 243

## S

Saha equation, 14, 16, 327  
 Scaling of flow for transparent gases, 166-168

- Scaling parameters for radiant-energy emission, 168-175
- Scattered radiation, 137-138, 208-230
- Scattering and emission from particle-size distributions, 220-223, 225-226
- Scattering coefficient, 209
- Scattering cross section, 209, 211, 216-217  
differential, 216-217, 226
- Scattering efficiency factor, 209, 216-217
- Scattering by nonabsorbing spheres, 227-230
- Schmidt number, 162
- Schuster-Schwarschild method, 281-283
- Seven-level temperature sounding in the atmosphere, 256
- Shock layers, inviscid, 331-388  
numerical solutions, 347-357  
integral method, 349-357  
streamtube calculation, 347-349  
one-dimensional model, 332-335  
perturbation calculations, 357-373  
similarity solutions, 383-388  
stagnation region (analytical solutions), 335-347  
thin shock-layer solutions, 373-383
- Shock layers, viscous, 402-411
- Shock wave structure, 310-331  
numerical solutions, 321-326  
Raizer's approximate treatment, 312-318  
radiation resisted, 312  
two-band analysis for, 319-321  
unsteady, 318  
with ionization, 326-331
- Similarity parameters for radiative-energy transfer, 161-180  
determination of, 161-164
- Similarity principles in combustion research, 459-460
- Similarity solutions (for slender bodies), 383-388
- Slender bodies, 383-388
- Smear-out line approximation, 23-24, 40, 60-61
- Species conservation equation, 156
- Specific intensity, 135-136
- Spectral distribution from a planetary atmosphere, 252-257
- Spectral emissivity, 5, 31-32, 34-36
- Spectral lines, 71-91  
"just-overlapping", 1, 26, 38, 115, 118  
corrections for, 117, 118-119  
radiation scaling rule, 170  
nonoverlapping,  
band absorption for, 116-117  
corrections for, 75-76  
radiation scaling rule, 170  
partial overlapping, 71, 73  
profiles, 7-9  
collision broadening, 7-8  
collision half-widths, 7  
Doppler broadening, 7-8  
Doppler half-widths, 7  
natural-line broadening, 7, 8  
natural half-widths, 7  
resonance contours, 9  
Stark broadening, 7  
randomly distributed, with dispersion contour, 117  
structure in the 2.7- $\mu$  region, corrections for, 79-82  
structure in the 15- $\mu$  region, corrections for, 82-83
- Spectral steradiancy, 135-136
- Spherical harmonics method, 285-287
- Stagnation flow (analytical solutions), 335-347
- Stark broadening, 7
- Steady-state solution for ablation rates  
without coupled flow, 420-421
- Stefan-Boltzmann constant, 4
- Streamtube calculation for shock-layer flow, 347-349
- Stress tensor, viscous, 157
- Structure of shock waves, 310-331
- Substitute kernel method, 284-285, 299
- Surface melting, 424-427, 436-453  
and evaporation with coupled motion  
between the liquid layer and the  
external gas flow, 436-453  
Bethe and Adams treatment, 436-444  
other treatments, 445-453  
of opaque materials, 424-427

## T

- Temperature distribution in the atmosphere of the earth, 232
- Temperature lapse rate, 254

- Temperature variation of integrated intensities, 120-125
- Thermal boundary layer thickness, 346
- Thermal conduction in air, 203-205
- Thermodynamic equilibrium (local), 137, 160, 279, 327
- Thin shock-layer solutions, 373-383
- Total cross section for radiation, 209-211, 213, 215
- Total emissivity
- calculations of, 47, 53-55, 60-67, 71-72, 74-83
  - effect of (partial) overlapping of spectral lines on, 72-74
  - effect of rotational fine structure on, 62-67
  - for smeared-out rotational lines, 60-62
- Transfer equation, 125-127, 137, 279
- Transient radiant heating and cooling, 294-296
- Transition probability, 5
- Transmission of an individual rotational line in a Martian atmosphere, 253
- Transmission of the atmosphere, 231-262
- along a slant path, 239-252
  - by carbon dioxide, 246-247
  - by carbon monoxide, 246, 245
  - homogeneous path, 249
  - of "equivalent" isothermal atmosphere, 250, 252
  - of nitrous oxide, 248
- Transmission (average) of optical radiation through air, 199-202
- Transparent gas, 116, 141, 144, 180, 271, 278, 316-317, 340, 347, 364, 369, 373, 385, 396, 398
- approximation, 141-142
  - radiative-energy transport, 141-143, 165
  - scaling of flow, 166-168
- Two-band analysis for shock waves, 319-321

**U**

- Unsöld approximation in hydrogenic opacity calculations, 17

**V**

- Vibration-rotation bands belonging to polyatomic molecules
- integrated intensities, 48-50, 54, 59, 120-125
  - total radiant energy flux, 118-119
- Vibrational excitation during dissociation, 104-106
- Viscous flows, 310, 388-411
- Viscous shock layers, 402-411
- Visibility, atmospheric, 257-263

**W**

- Wedge flow, 357-369, 372, 373-381
- Wien's displacement law, 4
- Wien radiation law, 3